

SDS/FMS RELEASE NOTES (RELEASE 2.000 CHANGES)

Concept Changes

Addition of new Data Type “M” for Long, unstructured Text Fields

Beginning with Release 2.000, the SDSFIE introduces a new attribute (field) data type of “M”. This equates to a unstructured, virtually unlimited length text field. In Microsoft Access, this is equivalent to a data type of “Memo”. In Oracle, it equates to a data type of “Long” (or CLOB [Character String Large Object] in Oracle 8.1 and subsequent). In SQLSVR, the data type equivalent is “ntext”. In ODBC, the SDS Type “M” corresponds to the generic SQL Data type “SQL_LONGVARCHAR”. These fields are for long, unstructured text data that *cannot be queried*. Because of limitations in certain RDBMS software, only one (1) data type “M” field is permitted per table.

In Release 2.000, tables ehsitbrn and gdsrvmnt are the only tables which contain attributes (fields) with this data type.

Common General Entity Class Primary Key Field Lengths

In Release 2.000, 20 Common General Tables have had their Primary Keys increased to 50 characters. This allows for more generic descriptive data to be included in the field and the Foreign Keys that join to it. In this way, users can use Keys which more completely describe the requirement without referencing the joined table. (See **Common General Primary Key Field Length Changes**)

Communication Entity Set Changes

The Communications Entity Set has been completely revised with Release 2.000 of the SDSFIE. During the course of the last five years The CADD/GIS Technology Center for Facilities, Infrastructure and the Environment, has received a number of comments on the structure of the Communications Entity Set. This Release changes the organization of the Entity Set from one based on media type (i.e. telephone, cable tv, microwave, and general). The new Communications Entity Set is based upon passive devices, active equipment, cables and infrastructure (e.g. junctions, vertical structure, horizontal structure, enclosed structure, etc.). No data elements from the former Communications Entity Class have been intentionally left out of the new Communications Entity Set. There should be a place for every former entity type, entity, table, attribute and domain table. Only the organization of those elements has changed. See Communications Entity Set Changes.

SEMMS Compliance

Table Gdsrvmnt (Geodetic Survey Monument) has been modified to be compliant with the US Army Corps of Engineers SEMMS Survey Engineering and Monumentation Management System. Data may now be more easily shared between the SDS and SEMMS databases. A full description of the changes made to table gdsrvmnt may be found in the Added Attributes section which begins on page 46.

Entity Set Summary Change Information

Auditory	Boundary	Buildings	Cadastre
Climate	Common	Communications	Cultural
Demographics	Ecology	Env Hazards	Fauna
Flora	Future Projects	Geodetic	Geology
Hydrography	Improvement	Land Status	Landform
Military Operations	Olfactory	Soil	Transportation

Utilities	Visual
-----------	--------

Database Administrator Summary Change Information

Newly Added Data Tables	Deleted Data Tables
New Attributes in Existing Tables	Deleted Attributes
Character Length Changes (not including Primary/Foreign Key changes in Common)	
New List Domain Tables	Deleted Domain Tables
New List Domain Values	Modified/Deleted Domain Values

Common General Primary Key Field Length Changes

The lengths of the Primary Keys character fields for the following Common General Entity Class tables were increased from 20 characters to 50 characters for the SDSFIE/FMSFIE Release 2.000:

Table Name	Primary Key
cmgenadd	address_id
cmgenagc	agency_id
cmgencnt	county_id
cmgencon	contr_id
cmgencor	cor_id
cmgencot	cotr_id
cmgenctr	contract_id
cmgenfcc	fa_cl_id
cmgenlab	lab_id
cmgenman	manuf_id
cmgenmun	municip_id
cmgenobs	observ_id
cmgenown	owner_id
cmgenpln	plan_id
cmgenpmt	permit_id
cmgenpoc	poc_id
cmgenprj	project_id
cmgenprp	phase_id
cmgenstd	study_id
cmgenven	vendor_id
cmgenwko	wk_ord_id
cmmedimg	Image_id*

* changed to a field size of 100

This change was made in response to requests from Users who want to use recognizable names (up to 50 characters in length) in the Primary Key/Foreign Key fields rather than a truncated name or cryptic code (up to 20 characters in length).

For example, "owner_id" could be "base_civil_engineer", "Cheyenne_Mountain_Air_Station", organization name/code, individual's name, etc. The primary concern in using the longer field names is the increased likelihood for making typographical errors, or not spelling the Primary Key/Foreign Key field name identical in all instances.

This change will simplify the implementation of the SDSFIE/FMSFIE on GIS platforms using Access (e.g., ArcView) as a database. Access can accommodate up to 64 indexes (or joins) per table. Access Users will have the option of not having to build Primary Key/Foreign Key joins with the 20 tables listed above.

Organizations utilizing an enterprise GIS will be using database software (e.g., Oracle, SQL Server, or ESRI SDE), which can handle an unlimited number of join relationships. To achieve the full benefits provided by the SDSFIE/FMSFIE data model, they should utilize all of the Common General Entity Class tables with the Primary Key/Foreign Key joins intact, and assign Primary Key/Foreign Key Ids in the most efficient manner.

-- Release Note Script for [auditory](#)

No New Entity Classes in this Set

No New Entity Types in this Set

No New Tables in this Set

-- Release Note Script for [boundary](#)

No New Entity Classes in this Set

No New Entity Types in this Set

Add the Discriminator Values US HOUSE, US SENATE, and STATE HOUSE to the Entity Type
representation_district_area

No New Tables in this Set

-- Release Note Script for **buildings**

New Entity Classes:

buildings_space Delineated areas associated with the interior of buildings and structures.

New Entity Types:

building_space_area	G/GT Polygon	Delineated area located within a building or structure used for the purpose of inventory and management of workspaces, personnel, and resources.
building_room_area	G/GT Polygon	The room perimeter shape as defined by the interior walls.
building_floor_area	G/GT Polygon	The space within the floor outline, the perimeter, or the building footprint.

New Data Tables:

bgspaflr	This table contains data about the area of a floor within a building.
bgsparom	This table contains data about the area of a room as defined by the positioning of the interior walls.
bgspaspa	This table contains data about the area located within a building or structure used for the purpose of inventory and management of workspaces, personnel, and resources.

-- Release Note Script for **cadastre**

No New Entity Classes in this Set

New Entity Types:

outgrant_site	Point/Polygon The outside boundary or point location of all land outgrants.
parcel_less_than_fee_area	G/GT Polygon Parcel boundaries for all land obtained in less-than-fee acquisitions.
acquisition_boundary_area	G/GT Polygon The outside boundary of all land obtained in fee acquisition.
parcel_acquisition_area	G/GT Polygon Tract boundaries for all land obtained in parcel acquisitions. (fee and less-than-fee)
encroachment_site	Point/Polygon The outside boundary or point location of all encroachments
land_disposal_area	G/GT Polygon The outside boundary of all disposed land.

New Data Tables:

cdrelacq	This table contains information about parcel acquisitions (fee and less-than-fee)
cdrelbnd	This table contains information about parcel/fee acquisition boundaries
cdreldsp	This table describes the attributes needed for disposals.
cdrelenc	This table contains information about encroachments
cdrelout	This table contains information about outgrants.

-- Release Note Script for [climate](#)

No New Entity Classes in this Set

No New Entity Types in this Set

No New Tables in this Set

-- Release Note Script for **common**

No New Entity Classes in this Set

No New Entity Types in this Set

New Data Tables:

-- Release Note Script for **communications**

The Communications Entity Set has been completely restructured. These changes are the result of significant user input. Specific changes include:

New Entity Classes –

communications_cable_trans

A physical media used to provide transmission of communications signals.

communications_device

A passive communication system component that lies within the signal transmission path and modifies the transmission characteristics of the media.

communications_enclosed_struct

A structure that houses communications equipment, devices, and junctions.

communications_equipment

Systems that provide active transmission, reception, and processing of communication signals.

communications_horiz_struct

A structure that provides horizontal conveyance of communications systems.

communications_junction

A connection within the communication system that joins or terminates cables.

communications_support

Extraneous components which sustain the performance of the communication system.

communications_vertical_struct

A structure that provides vertical conveyance of communications systems.

communications_wireless_trans

Electromagnetic paths used to provide transmission of communications signals.

Remove Entity Class – **communications_cable_television**

Remove Entity Type **cable_television_amplifier_point/coctvamp**

New Entity Type **communications_amplifier_point**

Any electronic device intended to boost the power or amplify the signal associated with a communications system.

New Table **codevamp**

This table contains data about an electronic device intended to boost the power or increase the signal associated with a communications system.

Move Graphic Data to **communications_amplifier_point**

Discriminated into VIDEO, CATV, OTHER, UNKNOWN, TBD

Move Tabular Data to **codevamp**

Remove Entity Type – **cable_television_distribution_point**

New Entity Type **communications_equipment_point**

A generic piece of communications equipment, that has not otherwise been defined with the communications equipment entity class.

▼ New Table **coeqppnt**

▲	<p>This table contains information about a generic piece of communications equipment not otherwise described.</p> <p>Move Graphic Data to communications_equip_point</p> <p>Move Tabular Data to coeqppnt</p>
	<p>Remove Entity Type cable_television_line</p> <p>New Entity Type communications_coaxial_line</p> <p>A transmission line that consists of a tube of electrically conducting material surrounding a central conductor held in place by insulators that is used to transmit telegraph, telephone, and television signals of high frequency.</p> <p>New Table coctrcox</p> <p>A transmission line that consists of a tube of electrically conducting material surrounding a central conductor held in place by insulators that is used to transmit telegraph, telephone, and television signals of high frequency.</p> <p>New Entity Type communications_fiberoptic_line</p> <p>Thin transparent fibers of glass or plastic that are enclosed by material of a lower index of refraction and that transmit light throughout their length by internal reflections.</p> <p>New Table coctrfop</p> <p>This table contains information about thin transparent fibers of glass or plastic that are enclosed by material of a lower index of refraction and that transmit light throughout their length by internal reflections.</p> <p>New Entity Type communications_other_type_cable_line</p> <p>Any type of communications cable transmission not otherwise specified in the SDS.</p> <p>New Table coctrocl</p> <p>This table contains information about miscellaneous types of communications cables transmission not otherwise delineated in the SDS.</p> <p>New Entity Type communications_twisted_pair_line</p> <p>Multiconductor Communications cable generally consisting of copper wire, with each pair being twisted in order to minimize signal loss due to electromagnetic radiation.</p> <p>New Table coctrtp</p> <p>This table contains information about multiconductor communications cable generally consisting of copper wire, with each pair being twisted in order to minimize signal loss due to electromagnetic radiation.</p> <p>New Entity Type communications_waveguide_line</p> <p>A cable designed to confine and direct the propagation of electromagnetic waves.</p> <p>New Table coctrwvg</p> <p>This table contains information about a a cable designed to confine and direct the propagation of electromagnetic wave.</p>
	<p><i>Depending on the type of the cable</i></p> <p>Move Graphic Data to communications_coaxial_line</p> <p>Discriminated into TELEVISION</p>
▼	<p>Move Tabular Data to coctrcox</p>

▲ Move Graphic Data to **communications_fiberoptic_line**
Discriminated into TELEVISION
Move Tabular Data to **coctrfop**

Move Graphic Data to **communications_other_type_cable_line**
Discriminated into TELEVISION
Move Tabular Data to **coctrocl**

Move Graphic Data to **communications_twisted_pair_line**
Discriminated into TELEVISION
Move Tabular Data to **coctrtpw**

Move Graphic Data to **communications_waveguide_line**
Discriminated into TELEVISION
Move Tabular Data to **coctrwvg**

Remove Entity Class – **communications_general**

Remove Entity Type **communications_antenna_guy_line/cogenguy**
Use Entity Type **utility_pole_guy_line**
Use Table **utgenguy**

Move Graphic Data to **utility_pole_guy_line**
Move Tabular Data to **utgenguy**

Remove Entity Type **communications_antenna_line/cogenant**
New Entity Type **communications_antenna_line**
Any device or wire which is intended to transmit or receive electromagnetic impulses to or from air or space.
New Table **codevant**
This table contains information about devices through which electromagnetic signals are either sent or received.

Move Graphic Data to **communications_antenna_line**
Move Tabular Data to **codevant**

Note that this is NOT the same Entity Type, although the name has not changed. It is in an entirely new Entity Class.

Remove Entity Type **communications_antenna_point/cogenant**
New Entity Type **communications_antenna_site**
Any device or wire which is intended to transmit or receive electromagnetic impulses to or from air or space.
New Table **codevant**
▼

↑ This table contains information about devices through which electromagnetic signals are either sent or received.

Move Graphic Data to **communications_antenna_site**

Discriminated into PARABOLIC, FIELD, DIPOLE

Move Tabular Data to **codevant**

Note that this is NOT the same Entity Type. The Entity Type has been moved to a new Entity Class, is now discriminated, and is now a Point/Polygon.

Remove Entity Type – **cable_buffer_area/cogencab**

The concept of “buffering” is one that is normally performed by the GIS, and does not need to be separately defined.

Remove Entity Type **communications_conduit_line/cogencdt**

New Entity Type **communications_duct_line**

Any linear component of a path for cable routing.

New Table **cohstduc**

This table contains information about a pipe like structure used for the underground conveyance of cable

Move Graphic Data to **communications_duct_line**

Move Tabular Data to **cohstduc**

Remove Entity Type **communications_device_point/cogendev**

New Entity Type **communications_equipment_point**

A generic piece of communications equipment, that has not otherwise been defined with the communications equipment entity class.

New Table **coeqppnt**

This table contains information about a generic piece of communications equipment not otherwise described.

Move Graphic Data to **communications_equipment_point**

Move Tabular Data to **coeqppnt**

Remove Entity Type **communications_ductbank_line/cogendbk**

New Entity Type **communications_ductbank_line**

One or more duct routed in parallel between two nodes.

New Table **cohstdbk**

This table contains information about one or more duct routed in parallel between two nodes.

Move Graphic Data to **communications_ductbank_line**

▼ Move Tabular Data to **cohstdbk**

↑ *Note that this is NOT the same Entity Type, although the name has not changed. It is in an entirely new Entity Class.*

Remove Entity Type **communications_ground_point/cogengnd**

New Entity Type **communications_groundpoint_point**

The location where the electrical configuration is grounded.

New Table **cosupgnd**

This table contains information about a point or a series of connected points where the electrical configuration is grounded.

Move Graphic Data to **communications_ground_point**

Move Tabular Data to **cosupgnd**

Remove Entity Type **communications_handhole_point/cogenchh**

New Entity Type **communications_handhole_point**

A chamber, just below the earth's surface, too small for a man to enter, in the route of one or more cable runs where cables may be accessed.

New Table **coestchh**

This table contains data regarding communications handholes.

Move Graphic Data to **communications_handhole_point**

Move Tabular Data to **coestchh**

Note that this is NOT the same Entity Type, although the name has not changed. It is in an entirely new Entity Class.

Remove Entity Type **communications_lightning_dispersal_area/cogenlda**

New Entity Type **communications_groundplane_polygon_area**

A series of ground points electrically connected in a mesh formation necessary to minimize ground resistance and electromagnetic radiation, for example lightning strikes, in support of critical communications systems.

New Table **cosupgnd**

This table contains information about a point or a series of connected points where the electrical configuration is grounded.

Move Graphic Data to **communications_groundplane_polygon_area**

Move Tabular Data to **cosupgnd**

Remove Entity Type **communications_manhole_point/cogenmh**

New Entity Type **communications_manhole_site**

A subsurface chamber, large enough for a person to enter, in the route of one or more duct runs, and affording facilities for placing and maintaining the runs, conductors, cables, and associated apparatus.

↓ New Table **coestmhl**

↑ This table contains information about a subsurface chamber, large enough for a person to enter, in the route of one or more duct runs, and affording facilities for placing and maintaining the runs, conductors, cables, and associated apparatus.

Move Graphic Data to **communications_manhole_site**

Move Tabular Data to **coestmhl**

Note that this is NOT the same Entity Type. It is in an entirely new Entity Class and has been changed to a Point/Polygon.

Remove Entity Type **communications_pedestal_point/cogenped**

New Entity Type **communications_pedestal_site**

An above-ground enclosure providing access to buried plant.

New Table **coestped**

This table contain information about an above-ground enclosure providing access to buried plant.

Move Graphic Data to **communications_pedestal_site**

Move Tabular Data to **coestped**

Note that this is NOT the same Entity Type. It is in an entirely new Entity Class and has been changed to a Point/Polygon.

Remove Entity Type **communications_pullbox_point/cogenpbx**

New Entity Type **communications_pullbox_site**

A box with cover used as an aid for pulling cable.

New Table **coestpbx**

This table contains information about a box with cover used as an aid for pulling cable.

Move Graphic Data to **communications_pullbox_site**

Move Tabular Data to **coestpbx**

Note that this is NOT the same Entity Type. It is in an entirely new Entity Class and has been changed to a Point/Polygon.

Remove Entity Type **communications_riser_point/cogenrip**

New Entity Type **communications_riser_point**

A pipe-like structure used for the vertical conveyance of cable.

New Table **covstrip**

This table contains information about a pipe-like structure used for the vertical conveyance of cable.

Move Graphic Data to **communications_riser_point**

Move Tabular Data to **covstrip**

↓

▲ *Note that this is NOT the same Entity Type, although the name has not changed. It is in an entirely new Entity Class.*

Remove Entity Type **communication_splice_point/cogenspl**

New Entity Type **communications_splice_point**

A joining of two or more communications cables, each cable contributing one end of itself to the splice.

New Table **cojunspl**

This table contains information about splices.

Move Graphic Data to **communications_splice_point**

Discriminated into DROP_INSERT, HALFTAP_INLINE, JUNCTION_INLINE, LOAD_INLINE, STRAIGHT_INLINE

Move Tabular Data to **cojunspl**

Note that this is NOT the same Entity Type, although the name has not changed. It is in an entirely new Entity Class and it is now discriminated.

Remove Entity Type **communication_valve_point/cogenvlv**

New Entity Type **communications_air_pressure_device_point**

Any device which supports a cable pressurization system, for example valves, compressors, pressure transducers, air dryers, and pressure meter.

New Table **cosupapp**

This table contains information about a device which supports a cable pressurization system.

Move Graphic Data to **communications_air_pressure_device_point**

Move Tabular Data to **cosupapp**

Remove Entity Type **communications_vault_point/cogenvlt**

New Entity Type **communications_vault_site**

A special structure for transitioning the outside cable plant from horizontal orientation to vertical orientation in preparation for termination on the distribution frame.

New Table **coestvlt**

This table contains information about a special structure for transitioning the outside cable plant from horizontal orientation to vertical orientation in preparation for termination on the distribution frame..

Move Graphic Data to **communications_vault_site**

Move Tabular Data to **coestvlt**

Note that this is NOT the same Entity Type. It is in an entirely new Entity Class and has been changed to a Point/Polygon.

Remove Entity Type **warning_system_point/cogenalm**

New Entity Type **communications_sensor_point**

The location of equipment used to detect and measure various environmental conditions (e.g. Temperature, Fire, Intrusion, etc.)

New Table **coeqpsen**

This table contains information about a device displaying the location of any alarm/warning systems for natural disasters, military or civilian emergencies, or other type of hazard that could endanger a person's life.

Move Graphic Data to **communications_sensor_point**

Move Tabular Data to **coeqpsen**

Remove Entity Class – **communications_microwave**

Remove Entity Type **microwave_relay_station_point/comicrel**

New Entity Type **relay_station_point**

A piece of equipment used to relay communications signals.

Use Table **coeqprad**

This table contains information about a piece of equipment used to transmit and receive communications signals via electromagnetic waves.

Move Graphic Data to **relay_station_point**

Move Tabular Data to **coeqprad**

Remove Entity Type **microwave_transmission_path_line/comictrn**

New Entity Type **communications_line_of_sight_line**

An electromagnetic transmission signal path requiring line of sight such as microwave or laser transmission.

Use Table **cowtrlos**

This table contains information about an electromagnetic transmission signal path requiring line of sight such as microwave or laser transmission.

Move Graphic Data to **communications_line_of_site_line**

Move Tabular Data to **cowtrlos**

Remove Entity Class – **communications_telephone**

Remove Entity Type **channel_service_unit_point/cotelchn**

New Entity Type **communications_equipment_point**

A generic piece of communications equipment, that has not otherwise been defined with the communications equipment entity class..

New Table **coeqppnt**

This table contains information about a generic piece of communications equipment not otherwise described.

▲ Move Graphic Data to **communications_equipment_point**
Move Tabular Data to **coeqppnt**

Remove Entity Type **data_service_unit_point/cotelat**

New Entity Type **communications_equipment_point**

A generic piece of communications equipment, that has not otherwise been defined with the communications equipment entity class.

New Table **coeqppnt**

This table contains information about a generic piece of communications equipment not otherwise described.

Move Graphic Data to **communications_equipment_point**

Move Tabular Data to **coeqppnt**

Remove Entity Type **emergency_telephone_point/cotelbth**

New Entity Type **communications_telephone_point**

The location of an end user telephone set used for voice communications.

New Table **coeqptel**

This table contains information about the location of a connection point for a telephone set used for voice communications.

Move Graphic Data to **communications_telephone_point**

Move Tabular Data to **coeqptel**

Remove Entity Type **telephone_booth_point/cotelbth**

New Entity Type **communications_telephone_booth_site**

The location of one or more outdoor telephones either in an open air bank or enclosed within a booth or other enclosure.

New Table **coestbth**

The location of one or more outdoor telephones either in an open air bank or enclosed within a booth or other enclosure, where a user may stand or sit while making a call.

Move Graphic Data to **communications_telephone_booth_site**

Move Tabular Data to **coestbth**

Remove Entity Type **telephone_cable_line**

Depending on the type of the cable

Move Graphic Data to **communications_coaxial_line**

Discriminated into TELEPHONE

Move Tabular Data to **coctrcox**

Move Graphic Data to **communications_fiberoptic_line**

Discriminated into TELEPHONE



▲ Move Tabular Data to **coctrfop**

Move Graphic Data to **communications_other_type_cable_line**

Discriminated into TELEPHONE

Move Tabular Data to **coctrocl**

Move Graphic Data to **communications_twisted_pair_line**

Discriminated into TELEPHONE

Move Tabular Data to **coctrtp**

Move Graphic Data to **communications_waveguide_line**

Discriminated into TELEPHONE

Move Tabular Data to **coctrwvg**

-- Release Note Script for [cultural](#)

No New Entity Classes in this Set

No New Entity Types in this Set

No New Tables in this Set

-- Release Note Script for **demographics**

No New Entity Classes in this Set

New Entity Types:

census_site	Point/Polygon	Sites identified for census data collection.
--------------------	---------------	--

New Data Tables:

deneicns	This table contains data about census sites to count the population of the United States.
-----------------	---

-- Release Note Script for **ecology**

No New Entity Classes in this Set

No New Entity Types in this Set

No New Tables in this Set

-- Release Note Script for [environmental_hazards](#)

No New Entity Classes in this Set

New Entity Types:

brownfield_site	Point/Polygon	A commercial or private property designated as a Brownfield by the Environmental Protection Agency (EPA) or a state environmental regulatory authority, where use is limited by actual or potential environmental contamination. Does not include sites listed (or proposed for listing) by EPA on the National Priorities List (NPL), sites for which an administrative or judicial order is/has been issued under CERCLA, and sites undergoing corrective action under RCRA.
construction_storm_water_site	Point/Polygon	An area where surface runoff from past or present land clearing and/or construction activities have the potential to contribute sediment or other pollutants to the environment.

surface_water_discharge_point Point The location of a surface water discharge.

New Entities

Add the Discriminator Values SILVICULTURE, AGRICULTURE, INDUSTRIAL, MINING, OTHER, and URBAN to the Entity Type
nonpoint_source_pollution_area

New Data Tables:

ehhzwcgx	This table contains information about the relationship between hazardous waste containers and groups of hazardous waste containers.
ehhzwgrp	This table contains information concerning a group of hazardous waste containers.
ehsitbrn	This table contains information about a commercial or private property designated as a Brownfield by the Environmental Protection Agency (EPA) or a state environmental regulatory authority, where use is limited by actual or potential environmental contamination. Does not include sites listed (or proposed for listing) by EPA on the National Priorities List (NPL), sites for which an administrative or judicial order is/has been issued under CERCLA, and sites undergoing corrective action under RCRA.
ehswtcs	This table describes an area where surface runoff from past or present land clearing and/or construction activities have the potential to contribute sediment or other pollutants to the environment.
ehswtdis	This table contains information about the location of a surface water discharge.

-- Release Note Script for fauna

No New Entity Classes in this Set

No New Entity Types in this Set

New Entities

Add the Discriminator Values RARE and NONE to the Entity Type
fauna_special_habitat_site

No New Tables in this Set

-- Release Note Script for [flora](#)

No New Entity Classes in this Set

No New Entity Types in this Set

No New Tables in this Set

-- Release Note Script for [future_projects](#)

No New Entity Classes in this Set

No New Entity Types in this Set

No New Tables in this Set

-- Release Note Script for [geodetic](#)

No New Entity Classes in this Set

No New Entity Types in this Set

No New Tables in this Set

-- Release Note Script for **geology**

No New Entity Classes in this Set

No New Entity Types in this Set

No New Tables in this Set

-- Release Note Script for [hydrography](#)

No New Entity Classes in this Set

No New Entity Types in this Set

No New Tables in this Set

-- Release Note Script for [improvement](#)

No New Entity Classes in this Set

No New Entity Types in this Set

No New Tables in this Set

-- Release Note Script for **land_status**

No New Entity Classes in this Set

New Entity Types:

agricultural_tract_area	G/GT Polygon disposed land.	The outside boundary of all
--------------------------------	--------------------------------	-----------------------------

New Tables:

lscndagt	The location of agricultural tract areas.
-----------------	---

-- Release Note Script for [landform](#)

No New Entity Classes in this Set

No New Entity Types in this Set

No New Tables in this Set

-- Release Note Script for [military_operations](#)

No New Entity Classes in this Set

No New Entity Types in this Set

No New Tables in this Set

-- Release Note Script for [olfactory](#)

No New Entity Classes in this Set

No New Entity Types in this Set

No New Tables in this Set

-- Release Note Script for [soil](#)

No New Entity Classes in this Set

No New Entity Types in this Set

No New Tables in this Set

-- Release Note Script for **transportation**

New Entity Classes:

transportation_airfield_fm Information necessary for the management of airfield facilities.

No New Entity Types in this Set

New Entities

Add the Discriminator Values FUELING AREA, PARKING AREA, and APRON to the Entity Type
airfield_surface_site

Add multiple Discriminator Values (See NST Series) to Entity Type
navigational_aid_point
to comply with the DOD Flight Information Publication (DAFIF) PS/1FD/086

New Data Tables:

trafiacm	The data about the aircraft maintenance facility.
trafiadm	This table contains information about airfield administration
trafiapr	This table contains facilities management information about an airfield apron.
trafiatc	This table contains information about air traffic control capabilities.
trafiful	Facility management information about an area where aircraft are refueled.
trafiHPD	This table contains facilities management information about a surface for landing or taking off VTOL vehicles.
trafiPRK	This table contains facilities management information about an airfield parking area.
trafirun	This table contains data about managing and maintaining an airfield runway.
trafitwy	This table contains facilities management information for an airfield taxiway.

-- Release Note Script for **utilities**

No New Entity Classes in this Set

New Entity Types:

utility_electric_utility_site	Point/Polygon	An electrical power utility company or organization's certificated area of jurisdiction or responsibility as approved by a federal, state, or local utility regulatory authority.
utility_gas_utility_site	Point/Polygon	A gas utility company or organization's certificated area of jurisdiction or responsibility as approved by a federal, state, or local utility regulatory authority.
utility_wastewater_utility_site	Point/Polygon	A wastewater utility company or organization's certificated area of jurisdiction or responsibility as approved by a federal, state, or local utility regulatory authority.
utility_drinking_water_sample_collection_point	Point	A point location where one or more water samples are collected from a water utility or system.
utility_water_utility_site	Point/Polygon	A water utility company or organization's certificated area of jurisdiction or responsibility as approved by a federal, state, or local utility regulatory authority.

New Entities

Add the Discriminator Values SERVICE and TAPPING SLEEVE to the Entity Type
natural_gas_fitting_point

Add the Discriminator Values CHECK, GATE, and GLOBE to the Entity Type
water_valve_point

Add the Discriminator Values SERVICE and TAPPING SLEEVE to the Entity Type
water_fitting_point

New Data Tables:

uteleuti	This table contains data about an electrical power utility company or organization's certificated area of jurisdiction or responsibility as approved by a federal, state, or local utility regulatory authority.
utgasuti	This table contains data about a gas utility company or organization's certificated area of jurisdiction or responsibility as approved by a federal, state, or local utility regulatory authority.
utgniuti	Parent table which permits the development of common join relationships between various utility tables.
utwaicon	This table contains data concerning a contaminant sample collected from a potable water distribution system.

utwaidwc	This table contains data concerning an EPA regulated drinking water contaminant.
utwaimic	This table contains data concerning a bacteria, or microbiology, sample collected from a potable water distribution system.
utwaitnk	This table contains the findings and recommendations of a water tank inspection.
utwatsam	This table contains data about locations where drinking water samples are collected prior to testing.
utwatuti	This table contains data about a water utility company or organization's certificated area of jurisdiction or responsibility as approved by a federal, state, or local utility regulatory authority.
utwwtuti	This table contains data about a wastewater utility company or organization's certificated area of jurisdiction or responsibility as approved by a federal, state, or local utility regulatory authority.

-- Release Note Script for visual

No New Entity Classes in this Set

No New Entity Types in this Set

No New Tables in this Set

-- DBA Note Script for Current Release

New Tables:

bgspaflr	This table contains data about the area of a floor within a building.
bgsparom	This table contains data about the area of a room as defined by the positioning of the interior walls.
bgspaspa	This table contains data about the area located within a building or structure used for the purpose of inventory and management of workspaces, personnel, and resources.
cdrelacq	This table contains information about parcel acquisitions (fee and less-than-fee)
cdrelbnd	This table contains information about parcel/fee acquisition boundaries
cdreldsp	This table describes the attributes needed for disposals.
cdrelenc	This table contains information about encroachments
cdrelout	This table contains information about outgrants.
coctrcox	A transmission line that consists of a tube of electrically conducting material surrounding a central conductor held in place by insulators that is used to transmit telegraph, telephone, and television signals of high frequency
coctrfop	This table contains information about thin transparent fibers of glass or plastic that are enclosed by material of a lower index of refraction and that transmit light throughout their length by internal reflections
coctrocl	This table contains information about miscellaneous types of communications cables transmission not otherwise delineated in the SDS.
coctrtwp	This table contains information about multiconductor communications cable generally consisting of copper wire, with each pair being twisted in order to minimize signal loss due to electromagnetic radiation.
coctrwvg	This table contains information about a a cable designed to confine and direct the propagation of electromagnetic wave.
codevamp	This table contains data about an electronic device intended to boost the power or increase the signal associated with a communications system.
codevant	This table contains information about devices through which electromagnetic signals are either sent or received.
codevatt	This table contains information about a device for reducing the amplitude of an electrical signal without appreciable distortion.
codevimd	This table contains information about a device that matches the impedance between two transmissions in order to minimize signal attenuation and distortion
codevpnt	This table contains information about any passive communications device not otherwise listed.
codevspl	This table contains information about a device to split a signal transmission into two or more signal paths while minimizing attenuation and distortion; generally used in broadband cable systems
codevter	This table contains information that A device that terminates an electrical or optical transmission media.

coeqpcam	This table contains information about a video camera used for surveillance purposes.
coeqppnt	This table contains information about a generic piece of communications equipment not otherwise described.
coeqprad	This table contains information about a piece of equipment used to transmit and receive communications signals via electromagnetic waves.
coeqprar	This table contains information about a device which emits electromagnetic waves which determine the presence and location of an object by measuring the direction and timing of those waves as they are reflected by the object.
coeqpsen	This table contains information about a device displaying the location of any alarm/warning systems for natural disasters, military or civilian emergencies, or other type of hazard that could endanger a person's life.
coeqptel	This table contains information about the location of a connection point for a telephone set used for voice communications
coestbth	The location of one or more outdoor telephones either in an open air bank or enclosed within a booth or other enclosure, where a user may stand or sit while making a call.
coestchh	This table contains data regarding communications handholes.
coestmhl	This table contains information about a subsurface chamber, large enough for a person to enter, in the route of one or more duct runs, and affording facilities for placing and maintaining the runs, conductors, cables, and associated apparatus.
coestpbx	This table contains information about a box with cover used as an aid for pulling cable.
coestped	This table contain information about an above-ground enclosure providing access to buried plant.
coestvlt	This table contains information about a special structure for transitioning the outside cable plant from horizontal orientation to vertical orientation in preparation for termination on the distribution frame.
cohstcaw	This table contains information about horizontal cable structural support mechanisms.
cohstctr	This table contains information about a trench along the ground used for the horizontal conveyance of communications cables
cohstdbk	This table contains information about one or more duct routed in parallel between two nodes.
cohstduc	This table contains information about a pipe like structure used for the underground conveyance of cable
cohstuti	This table contains information about a tunnel system which may exist above or below ground used for horizontal conveyance of utilities including communications cables in arctic climates
cojunspl	This table contains information about splices.
cojunter	This table contains information about a device attached to the end of a wire or cable or to an electrical apparatus for convenience in making connections.
cosupapi	This table contains information about a pipe which conveys pressurized air to a pressurized telephone cable system.

cosupapp	This table contains information about a device which supports a cable pressurization system.
cosupgnd	This table contains information about a point or a series of connected points where the electrical configuration is grounded.
covstcal	This table contains information about a ladder type structure used to support the vertical conveyance of communications cable
covstrip	This table contains information about a pipe-like structure used for the vertical conveyance of cable.
cowtrgwv	This table contains information about a groundwave polygon area.
cowtrlos	This table contains information about an electromagnetic transmission signal path requiring line of sight such as microwave or laser transmission.
deneicns	This table contains data about census sites to count the population of the United States.
ehhzwcgx	This table contains information about the relationship between hazardous waste containers and groups of hazardous waste containers.
ehhzwgrp	This table contains information concerning a group of hazardous waste containers.
ehsitbrn	This table contains information about a commercial or private property designated as a Brownfield by the Environmental Protection Agency (EPA) or a state environmental regulatory authority, where use is limited by actual or potential environmental contamination. Does not include sites listed (or proposed for listing) by EPA on the National Priorities List (NPL), sites for which an administrative or judicial order is/has been issued under CERCLA, and sites undergoing corrective action under RCRA.
ehswtcsw	This table describes an area where surface runoff from past or present land clearing and/or construction activities have the potential to contribute sediment or other pollutants to the environment.
ehswtdis	This table contains information about the location of a surface water discharge.
trafiacm	The data about the aircraft maintenance facility.
trafiadm	This table contains information about airfield administration
trafiapr	This table contains facilities management information about an airfield apron.
trafiatc	This table contains information about air traffic control capabilities.
trafiful	Facility management information about an area where aircraft are refueled.
trafiHPD	This table contains facilities management information about a surface for landing or taking off VTOL vehicles.
trafiPRK	This table contains facilities management information about an airfield parking area.
trafirun	This table contains data about managing and maintaining an airfield runway.
trafitwy	This table contains facilities management information for an airfield taxiway.
uteleuti	This table contains data about an electrical power utility company or organization's certificated area of jurisdiction or responsibility as approved by a federal, state, or local utility regulatory authority.

utgasuti	This table contains data about a gas utility company or organization's certificated area of jurisdiction or responsibility as approved by a federal, state, or local utility regulatory authority.
utgniuti	Parent table which permits the development of common join relationships between various utility tables.
utwaicon	This table contains data concerning a contaminant sample collected from a potable water distribution system.
utwaidwc	This table contains data concerning an EPA regulated drinking water contaminant.
utwaimic	This table contains data concerning a bacteria, or microbiology, sample collected from a potable water distribution system.
utwaitnk	This table contains the findings and recommendations of a water tank inspection.
utwatsam	This table contains data about locations where drinking water samples are collected prior to testing.
utwatuti	This table contains data about a water utility company or organization's certificated area of jurisdiction or responsibility as approved by a federal, state, or local utility regulatory authority.
utwwtuti	This table contains data about a wastewater utility company or organization's certificated area of jurisdiction or responsibility as approved by a federal, state, or local utility regulatory authority.

Deleted Tables:

ehswdact This non-graphic table has been replaced by a graphic table for surface water discharge points (ehswtdis) for which NPDES permits are typically required.

Added Attributes: (Existing Tables)

In Table	cdrelpar	Add Attribute	area_size
In Table	cmgencrd	Add Attribute	local_cord
In Table	cmgenpoc	Add Attribute	com_ph_ext
In Table	cmgenpoc	Add Attribute	com_phone
In Table	cmgenpoc	Add Attribute	dsn_phone
In Table	cmgenpoc	Add Attribute	email
In Table	cmgenpoc	Add Attribute	fax
In Table	ehfmdlm	Add Attribute	labdetq_d
In Table	ehfmdtes	Add Attribute	chasam_id
In Table	ehfmdtes	Add Attribute	labdetq_d
In Table	ehfmdtes	Add Attribute	labnote_d
In Table	ehfmdtes	Add Attribute	pvc_d
In Table	ehfmdtes	Add Attribute	rsqc_d
In Table	ehhmwhsa	Add Attribute	hazinv_d
In Table	ehhmwhsb	Add Attribute	hazinv_d
In Table	ehhmwhsl	Add Attribute	hazinv_d
In Table	ehhmwhsr	Add Attribute	hazinv_d
In Table	ehhmwhsv	Add Attribute	hazinv_d
In Table	ehhzwcon	Add Attribute	chasam_id
In Table	ehhzwcon	Add Attribute	oshahwt_d
In Table	ehhzwdis	Add Attribute	chasam_id
In Table	ehhzwdis	Add Attribute	hzwgrp_id
In Table	ehhzwgen	Add Attribute	hzwpmnt_id
In Table	ehhzwstg	Add Attribute	hzwcon_id
In Table	ehhzwstg	Add Attribute	hzwgrp_id
In Table	ehhzwstg	Add Attribute	oshahwt_d
In Table	ehhzwtns	Add Attribute	hzwcon_id
In Table	ehhzwtns	Add Attribute	hzwgrp_id
In Table	ehhzwtns	Add Attribute	shipfrom
In Table	ehhzwtns	Add Attribute	shipto
In Table	ehhzwtrt	Add Attribute	hzwgrp_id
In Table	ehhzwst	Add Attribute	oshahwt_d
In Table	ehpolnsp	Add Attribute	nsptyp_d
In Table	ehsitirp	Add Attribute	envfac_id
In Table	ehsitirp	Add Attribute	oshahwt_d
In Table	ehsitirp	Add Attribute	sitaoc_id
In Table	ehsitirp	Add Attribute	sitbrn_id
In Table	ehsitirp	Add Attribute	sitepa_id
In Table	ehsitirp	Add Attribute	sitfud_id
In Table	ehswdapp	Add Attribute	swtdis_id
In Table	ehswdaud	Add Attribute	swtdis_id
In Table	ehswddcm	Add Attribute	swtdis_id
In Table	ehswdins	Add Attribute	swtdis_id
In Table	ehswdmon	Add Attribute	swtdis_id

In Table	ehswdpmt	Add Attribute	swtdis_id
In Table	ehswdpol	Add Attribute	swtdis_id
In Table	ehswdswa	Add Attribute	swtcsw_id
In Table	ehswdswl	Add Attribute	swtcsw_id
In Table	ehswdswm	Add Attribute	swtcsw_id
In Table	ehswdswp	Add Attribute	swtcsw_id
In Table	gdsrvmnt	Add Attribute	ctr_mnmt
In Table	gdsrvmnt	Add Attribute	ditch_name
In Table	gdsrvmnt	Add Attribute	dyn_height
In Table	gdsrvmnt	Add Attribute	dyn_organ
In Table	gdsrvmnt	Add Attribute	dyn_u_d
In Table	gdsrvmnt	Add Attribute	ellips_ht
In Table	gdsrvmnt	Add Attribute	ellip_org
In Table	gdsrvmnt	Add Attribute	fld_book
In Table	gdsrvmnt	Add Attribute	geoid_org
In Table	gdsrvmnt	Add Attribute	gps_suit_d
In Table	gdsrvmnt	Add Attribute	road_name
In Table	gdsrvmnt	Add Attribute	image1_id
In Table	gdsrvmnt	Add Attribute	image2_id
In Table	gdsrvmnt	Add Attribute	image3_id
In Table	gdsrvmnt	Add Attribute	easting
In Table	gdsrvmnt	Add Attribute	northing
In Table	gdsrvmnt	Add Attribute	utm_u_d
In Table	gdsrvmnt	Add Attribute	int_lat
In Table	gdsrvmnt	Add Attribute	int_long
In Table	gdsrvmnt	Add Attribute	sur_crs_id
In Table	gdsrvmnt	Add Attribute	levee_name
In Table	gdsrvmnt	Add Attribute	levee_name
In Table	gdsrvmnt	Add Attribute	minus_mile
In Table	gdsrvmnt	Add Attribute	mon_desc
In Table	gdsrvmnt	Add Attribute	mon_disrm
In Table	gdsrvmnt	Add Attribute	neg_int_ln
In Table	gdsrvmnt	Add Attribute	owner_id
In Table	gdsrvmnt	Add Attribute	pid
In Table	gdsrvmnt	Add Attribute	quad24_d
In Table	gdsrvmnt	Add Attribute	rr_name
In Table	gdsrvmnt	Add Attribute	plssrng_id
In Table	gdsrvmnt	Add Attribute	river_mile
In Table	gdsrvmnt	Add Attribute	rod_depth
In Table	gdsrvmnt	Add Attribute	depth_u_d
In Table	gdsrvmnt	Add Attribute	plssare_id
In Table	gdsrvmnt	Add Attribute	twshp_nam
In Table	gdsrvmnt	Add Attribute	ho_e_n_u_d
In Table	gdsrvmnt	Add Attribute	vert_organ
In Table	gdsrvmnt	Add Attribute	spcszone_d
In Table	gdsrvmnt	Add Attribute	ellip_u_d
In Table	hyhdbply	Add Attribute	feat_name

In Table	imerorev	Add Attribute	artrev_id
In Table	mlairsua	Add Attribute	atc_id
In Table	traflafd	Add Attribute	afdstat_d
In Table	traflafd	Add Attribute	airadm_n_id
In Table	traflafd	Add Attribute	alt_name
In Table	traflafd	Add Attribute	angle_u_d
In Table	traflafd	Add Attribute	atc_id
In Table	traflafd	Add Attribute	conv_u_d
In Table	traflafd	Add Attribute	ctrl_lit_d
In Table	traflafd	Add Attribute	exist_d
In Table	traflafd	Add Attribute	frequse_d
In Table	traflafd	Add Attribute	mag_var
In Table	traflafd	Add Attribute	nato_d
In Table	traflafd	Add Attribute	nonenc_d
In Table	traflafd	Add Attribute	timezone
In Table	traflafd	Add Attribute	usable_d
In Table	traflafd	Add Attribute	utc_conv
In Table	traflfet	Add Attribute	height
In Table	traflfet	Add Attribute	height_u_d
In Table	traflfet	Add Attribute	length
In Table	traflfet	Add Attribute	length_u_d
In Table	traflfet	Add Attribute	mat_d
In Table	traflfet	Add Attribute	surf_mat_d
In Table	traflfet	Add Attribute	width
In Table	traflfet	Add Attribute	width_u_d
In Table	traflit	Add Attribute	air_sur_id
In Table	traflsaf	Add Attribute	airfld_id
In Table	trainav	Add Attribute	alt_u_d
In Table	trainav	Add Attribute	call_sign
In Table	trainav	Add Attribute	chan_txt
In Table	trainav	Add Attribute	directnl_d
In Table	trainav	Add Attribute	freq_alt
In Table	trainav	Add Attribute	freq_rate
In Table	trainav	Add Attribute	freq_rng
In Table	trainav	Add Attribute	freq_u_d
In Table	trainav	Add Attribute	narrative
In Table	trainav	Add Attribute	radio_d
In Table	trainav	Add Attribute	rec_code_d
In Table	trainav	Add Attribute	rng_u_d
In Table	trainav	Add Attribute	sequence
In Table	trainav	Add Attribute	tacan_d
In Table	trainav	Add Attribute	use_code_d
In Table	trainav	Add Attribute	voice_d
In Table	trainav	Add Attribute	weather_d
In Table	traisur	Add Attribute	ent_width
In Table	traisur	Add Attribute	feat_name
In Table	traisur	Add Attribute	light_id

In Table	trairsur	Add Attribute	weight_u_d
In Table	trairsur	Add Attribute	whl_load
In Table	utelebgp	Add Attribute	e_util_id
In Table	utelecap	Add Attribute	e_util_id
In Table	utelecgp	Add Attribute	e_util_id
In Table	uteledbk	Add Attribute	e_util_id
In Table	utelegen	Add Attribute	e_util_id
In Table	utelegnd	Add Attribute	e_util_id
In Table	utelemh	Add Attribute	e_util_id
In Table	utelemot	Add Attribute	e_util_id
In Table	utelemrk	Add Attribute	e_util_id
In Table	utelemtr	Add Attribute	e_util_id
In Table	uteleped	Add Attribute	e_util_id
In Table	utelereg	Add Attribute	e_util_id
In Table	utelerip	Add Attribute	e_util_id
In Table	utelespl	Add Attribute	e_util_id
In Table	utelesst	Add Attribute	e_util_id
In Table	uteleswt	Add Attribute	e_util_id
In Table	uteletbk	Add Attribute	e_util_id
In Table	uteletvt	Add Attribute	e_util_id
In Table	utgasand	Add Attribute	g_util_id
In Table	utgasant	Add Attribute	g_util_id
In Table	utgasfit	Add Attribute	g_util_id
In Table	utgasfix	Add Attribute	g_util_id
In Table	utgashyd	Add Attribute	airfuel_id
In Table	utgashyd	Add Attribute	cap_u_d
In Table	utgashyd	Add Attribute	capacity
In Table	utgashyd	Add Attribute	g_util_id
In Table	utgasmh	Add Attribute	g_util_id
In Table	utgasmtr	Add Attribute	g_util_id
In Table	utgaspip	Add Attribute	g_util_id
In Table	utgasmp	Add Attribute	g_util_id
In Table	utgaspst	Add Attribute	g_util_id
In Table	utgasrec	Add Attribute	g_util_id
In Table	utgasreg	Add Attribute	g_util_id
In Table	utgassrc	Add Attribute	g_util_id
In Table	utgasnk	Add Attribute	g_util_id
In Table	utgasvlv	Add Attribute	g_util_id
In Table	uthcsmh	Add Attribute	date_acqrd
In Table	uthcspip	Add Attribute	feat_desc
In Table	utinwdcg	Add Attribute	swtdis_id
In Table	utstodcg	Add Attribute	swtdis_id
In Table	utwatand	Add Attribute	w_util_id
In Table	utwatant	Add Attribute	w_util_id
In Table	utwatfir	Add Attribute	w_util_id
In Table	utwatfit	Add Attribute	w_util_id
In Table	utwathyd	Add Attribute	w_util_id

In Table	utwatmh	Add Attribute	w_util_id
In Table	utwatmsc	Add Attribute	w_util_id
In Table	utwatmtr	Add Attribute	w_util_id
In Table	utwatpip	Add Attribute	w_util_id
In Table	utwatpmp	Add Attribute	w_util_id
In Table	utwatpst	Add Attribute	w_util_id
In Table	utwatrec	Add Attribute	w_util_id
In Table	utwatreg	Add Attribute	w_util_id
In Table	utwatrst	Add Attribute	w_util_id
In Table	utwatsrc	Add Attribute	w_util_id
In Table	utwattnk	Add Attribute	w_util_id
In Table	utwattp	Add Attribute	w_util_id
In Table	utwatv	Add Attribute	w_util_id
In Table	utwwtdcg	Add Attribute	swtdis_id
In Table	utwwtdcg	Add Attribute	ww_util_id
In Table	utwwtdsp	Add Attribute	ww_util_id
In Table	utwwtfit	Add Attribute	ww_util_id
In Table	utwwtgcb	Add Attribute	ww_util_id
In Table	utwwtgtp	Add Attribute	ww_util_id
In Table	utwwtinl	Add Attribute	ww_util_id
In Table	utwwtlgn	Add Attribute	ww_util_id
In Table	utwwtmh	Add Attribute	date_acqrd
In Table	utwwtmh	Add Attribute	illict_d
In Table	utwwtmh	Add Attribute	no_steps
In Table	utwwtmh	Add Attribute	ww_util_id
In Table	utwwtmtr	Add Attribute	ww_util_id
In Table	utwwtneu	Add Attribute	ww_util_id
In Table	utwwtpip	Add Attribute	ww_util_id
In Table	utwwtpmp	Add Attribute	ww_util_id
In Table	utwwtpst	Add Attribute	ww_util_id
In Table	utwwtsep	Add Attribute	elev_uom_d
In Table	utwwtsep	Add Attribute	inv_elv_1
In Table	utwwtsep	Add Attribute	inv_elv_2
In Table	utwwtsep	Add Attribute	size
In Table	utwwtsep	Add Attribute	size_uom_d
In Table	utwwtsep	Add Attribute	ww_util_id
In Table	utwwtsgb	Add Attribute	ww_util_id
In Table	utwwtstk	Add Attribute	ww_util_id
In Table	utwwttnk	Add Attribute	ww_util_id
In Table	utwwttp	Add Attribute	ww_util_id
In Table	utwwtv	Add Attribute	ww_util_id

Deleted Attributes:

In Table	ehhzwcon	Delete Attribute	ehmres_id	NOTE 1
In Table	ehhzwdis	Delete Attribute	efmres_id	NOTE 1
In Table	ehhzwpm	Delete Attribute	hzwgen_id	NOTE 2
In Table	ehhzwtns	Delete Attribute	hazsto_id	NOTE 2
In Table	ehswdapp	Delete Attribute	polpsp_id	NOTE 3
In Table	ehswdaud	Delete Attribute	polpsp_id	NOTE 3
In Table	ehswddcm	Delete Attribute	polpsp_id	NOTE 3
In Table	ehswdins	Delete Attribute	polpsp_id	NOTE 3
In Table	ehswdmon	Delete Attribute	polpsp_id	NOTE 3
In Table	ehswdpmt	Delete Attribute	polpsp_id	NOTE 3
In Table	ehswdswa	Delete Attribute	polpsp_id	NOTE 3
In Table	ehswdswl	Delete Attribute	polpsp_id	NOTE 3
In Table	ehswdswm	Delete Attribute	polpsp_id	NOTE 3
In Table	ehswdswp	Delete Attribute	polpsp_id	NOTE 3
In Table	traflafd	Delete Attribute	aprn_size	NOTE 2
In Table	traflafd	Delete Attribute	active_d	NOTE 2
In Table	traisur	Delete Attribute	runway_num	NOTE 2
In Table	utinwdcg	Delete Attribute	polpsp_id	NOTE 3
In Table	utstodcg	Delete Attribute	polpsp_id	NOTE 3
In Table	utwwtdcg	Delete Attribute	polpsp_id	NOTE 3

NOTE 1 – Replaced by attribute “chasam_id”

NOTE 2 – No longer needed

NOTE 3 – Replaced by Foreign Key (swtdis_id) to new graphic table (ehswtdis) for surface water discharge points.

Data Type Changes:

In Table	cmmettim	Change	timeofday from Data Type	I to	C
In Table	crhstdst	Change	end_yr from Data Type	I to	D
In Table	crhstdst	Change	start_yr from Data Type	I to	D
In Table	ehenmpph	Change	enprfyid from Data Type	I to	C
In Table	ehswdpol	Change	polrep_yr from Data Type	I to	C
In Table	gdsgsqud	Change	edition from Data Type	I to	C
In Table	gdsrvmnt	Change	adj_elev from Data Type	D to	R
In Table	gdsrvmnt	Change	geoid_ht from Data Type	D to	R
In Table	gdsrvmnt	Change	orig_elev from Data Type	D to	R

Character Length Changes:

In Table	bdecoeez	Change	study_id	from LENGTH - 20	to	50
In Table	bdjurapb	Change	monumnt_id	from LENGTH - 20	to	50
In Table	bdjurapb	Change	poc_id	from LENGTH - 20	to	50
In Table	bdjurdst	Change	agency_id	from LENGTH - 20	to	50
In Table	bdjurdst	Change	poc_id	from LENGTH - 20	to	50
In Table	bdjurdst	Change	project_id	from LENGTH - 20	to	50
In Table	bdjurpol	Change	agency_id	from LENGTH - 20	to	50
In Table	bdjurpol	Change	poc_id	from LENGTH - 20	to	50
In Table	bdjurrep	Change	agency_id	from LENGTH - 20	to	50
In Table	bdpubfir	Change	address_id	from LENGTH - 20	to	50
In Table	bdpubfir	Change	poc_id	from LENGTH - 20	to	50
In Table	bdpubpol	Change	address_id	from LENGTH - 20	to	50
In Table	bdpubpol	Change	poc_id	from LENGTH - 20	to	50
In Table	bggenstr	Change	address_id	from LENGTH - 20	to	50
In Table	bggenstr	Change	owner_id	from LENGTH - 20	to	50
In Table	bggenstr	Change	project_id	from LENGTH - 20	to	50
In Table	cddodins	Change	address_id	from LENGTH - 20	to	50
In Table	cddodins	Change	agency_id	from LENGTH - 20	to	50
In Table	cddodins	Change	project_id	from LENGTH - 20	to	50
In Table	cddodint	Change	address_id	from LENGTH - 20	to	50
In Table	cddodint	Change	agency_id	from LENGTH - 20	to	50
In Table	cddodint	Change	poc_id	from LENGTH - 20	to	50
In Table	cdfedown	Change	agency_id	from LENGTH - 20	to	50
In Table	cdrelpar	Change	address_id	from LENGTH - 20	to	50
In Table	cdrelpar	Change	county_id	from LENGTH - 20	to	50
In Table	cdrelpar	Change	municip_id	from LENGTH - 20	to	50
In Table	cdrelpar	Change	owner_id	from LENGTH - 20	to	50
In Table	cdrelpar	Change	poc_id	from LENGTH - 20	to	50
In Table	cdrelpar	Change	project_id	from LENGTH - 20	to	50
In Table	clgensen	Change	manuf_id	from LENGTH - 20	to	50
In Table	cmgenadd	Change	address_id	from LENGTH - 20	to	50
In Table	cmgenadd	Change	county_id	from LENGTH - 20	to	50
In Table	cmgenagc	Change	address_id	from LENGTH - 20	to	50
In Table	cmgenagc	Change	agency_id	from LENGTH - 20	to	50
In Table	cmgenagc	Change	poc_id	from LENGTH - 20	to	50
In Table	cmgencnt	Change	county_id	from LENGTH - 20	to	50
In Table	cmgencon	Change	address_id	from LENGTH - 20	to	50
In Table	cmgencon	Change	contr_id	from LENGTH - 20	to	50
In Table	cmgencon	Change	contract_id	from LENGTH - 20	to	50
In Table	cmgencon	Change	municip_id	from LENGTH - 20	to	50
In Table	cmgencon	Change	poc_id	from LENGTH - 20	to	50
In Table	cmgencor	Change	cor_id	from LENGTH - 20	to	50
In Table	cmgencor	Change	poc_id	from LENGTH - 20	to	50
In Table	cmgencot	Change	cotr_id	from LENGTH - 20	to	50
In Table	cmgenctr	Change	contract_id	from LENGTH - 20	to	50
In Table	cmgenctr	Change	cotr_id	from LENGTH - 20	to	50
In Table	cmgenctr	Change	project_id	from LENGTH - 20	to	50

In Table	cmgenfac	Change	fa_cl_id	from LENGTH - 20	to	50
In Table	cmgenfcc	Change	fa_cl_id	from LENGTH - 20	to	50
In Table	cmgenlab	Change	address_id	from LENGTH - 20	to	50
In Table	cmgenlab	Change	lab_id	from LENGTH - 20	to	50
In Table	cmgenlab	Change	municip_id	from LENGTH - 20	to	50
In Table	cmgenlab	Change	poc_id	from LENGTH - 20	to	50
In Table	cmgenman	Change	address_id	from LENGTH - 20	to	50
In Table	cmgenman	Change	manuf_id	from LENGTH - 20	to	50
In Table	cmgenman	Change	poc_id	from LENGTH - 20	to	50
In Table	cmgenmap	Change	mapco_id	from LENGTH - 20	to	50
In Table	cmgenmun	Change	address_id	from LENGTH - 20	to	50
In Table	cmgenmun	Change	county_id	from LENGTH - 20	to	50
In Table	cmgenmun	Change	municip_id	from LENGTH - 20	to	50
In Table	cmgenmun	Change	poc_id	from LENGTH - 20	to	50
In Table	cmgenmun	Change	vendor_id	from LENGTH - 20	to	50
In Table	cmgenobs	Change	observ_id	from LENGTH - 20	to	50
In Table	cmgenown	Change	address_id	from LENGTH - 20	to	50
In Table	cmgenown	Change	owner_id	from LENGTH - 20	to	50
In Table	cmgenown	Change	poc_id	from LENGTH - 20	to	50
In Table	cmgenpln	Change	plan_id	from LENGTH - 20	to	50
In Table	cmgenpln	Change	poc_id	from LENGTH - 20	to	50
In Table	cmgenpmt	Change	permit_id	from LENGTH - 20	to	50
In Table	cmgenpoc	Change	address_id	from LENGTH - 20	to	50
In Table	cmgenpoc	Change	poc_id	from LENGTH - 20	to	50
In Table	cmgenprj	Change	poc_id	from LENGTH - 20	to	50
In Table	cmgenprj	Change	project_id	from LENGTH - 20	to	50
In Table	cmgenprp	Change	phase_id	from LENGTH - 20	to	50
In Table	cmgenprp	Change	poc_id	from LENGTH - 20	to	50
In Table	cmgenprp	Change	project_id	from LENGTH - 20	to	50
In Table	cmgenprp	Change	wrk_ord_id	from LENGTH - 20	to	50
In Table	cmgenstd	Change	owner_id	from LENGTH - 20	to	50
In Table	cmgenstd	Change	poc_id	from LENGTH - 20	to	50
In Table	cmgenstd	Change	project_id	from LENGTH - 20	to	50
In Table	cmgenstd	Change	study_id	from LENGTH - 20	to	50
In Table	cmgenven	Change	address_id	from LENGTH - 20	to	50
In Table	cmgenven	Change	poc_id	from LENGTH - 20	to	50
In Table	cmgenven	Change	vendor_id	from LENGTH - 20	to	50
In Table	cmgenwko	Change	agency_id	from LENGTH - 20	to	50
In Table	cmgenwko	Change	contr_id	from LENGTH - 20	to	50
In Table	cmgenwko	Change	contract_id	from LENGTH - 20	to	50
In Table	cmgenwko	Change	cotr_id	from LENGTH - 20	to	50
In Table	cmgenwko	Change	owner_id	from LENGTH - 20	to	50
In Table	cmgenwko	Change	project_id	from LENGTH - 20	to	50
In Table	cmgenwko	Change	wrk_ord_id	from LENGTH - 20	to	50
In Table	cmmedimg	Change	image_id	from LENGTH - 20	to	100
In Table	cmmedims	Change	contr_id	from LENGTH - 20	to	50
In Table	cmmedims	Change	contract_id	from LENGTH - 20	to	50
In Table	cmmedims	Change	project_id	from LENGTH - 20	to	50
In Table	cmmedims	Change	vendor_id	from LENGTH - 20	to	50

In Table	crarcart	Change	agency_id	from LENGTH - 20	to	50
In Table	crarcmil	Change	poc_id	from LENGTH - 20	to	50
In Table	crarcrck	Change	poc_id	from LENGTH - 20	to	50
In Table	crarcsit	Change	address_id	from LENGTH - 20	to	50
In Table	crarcsit	Change	agency_id	from LENGTH - 20	to	50
In Table	crarcsit	Change	curator_id	from LENGTH - 20	to	50
In Table	crarcsit	Change	owner_id	from LENGTH - 20	to	50
In Table	crarcsit	Change	project_id	from LENGTH - 20	to	50
In Table	crgenspo	Change	address_id	from LENGTH - 20	to	50
In Table	crgenspo	Change	poc_id	from LENGTH - 20	to	50
In Table	crgenspo	Change	project_id	from LENGTH - 20	to	50
In Table	crgenves	Change	poc_id	from LENGTH - 20	to	50
In Table	crhstdst	Change	municip_id	from LENGTH - 20	to	50
In Table	crhstdst	Change	poc_id	from LENGTH - 20	to	50
In Table	crhstdst	Change	project_id	from LENGTH - 20	to	50
In Table	crhstfet	Change	poc_id	from LENGTH - 20	to	50
In Table	crhstfet	Change	project_id	from LENGTH - 20	to	50
In Table	crhststr	Change	address_id	from LENGTH - 20	to	50
In Table	crhststr	Change	agency_id	from LENGTH - 20	to	50
In Table	crhststr	Change	municip_id	from LENGTH - 20	to	50
In Table	crhststr	Change	owner_id	from LENGTH - 20	to	50
In Table	crhststr	Change	poc_id	from LENGTH - 20	to	50
In Table	crhststr	Change	project_id	from LENGTH - 20	to	50
In Table	crmgtres	Change	poc_id	from LENGTH - 20	to	50
In Table	crmgtsen	Change	poc_id	from LENGTH - 20	to	50
In Table	crmgtsrv	Change	agency_id	from LENGTH - 20	to	50
In Table	crmgtsrv	Change	contrct_id	from LENGTH - 20	to	50
In Table	crmgtsrv	Change	owner_id	from LENGTH - 20	to	50
In Table	crmgtsrv	Change	poc_id	from LENGTH - 20	to	50
In Table	crmgtsrv	Change	project_id	from LENGTH - 20	to	50
In Table	crmgtsrv	Change	wrk_ord_id	from LENGTH - 20	to	50
In Table	crmgtsty	Change	ar_poc_id	from LENGTH - 20	to	50
In Table	crmgtsty	Change	poc_id	from LENGTH - 20	to	50
In Table	crmgtsty	Change	project_id	from LENGTH - 20	to	50
In Table	crmgtsty	Change	study_id	from LENGTH - 20	to	50
In Table	deneicom	Change	agency_id	from LENGTH - 20	to	50
In Table	echabars	Change	project_id	from LENGTH - 20	to	50
In Table	echabplk	Change	agency_id	from LENGTH - 20	to	50
In Table	ehacmgrp	Change	poc_id	from LENGTH - 20	to	50
In Table	ehacminv	Change	contr_id	from LENGTH - 20	to	50
In Table	ehacminv	Change	insppoc_id	from LENGTH - 20	to	50
In Table	ehacminv	Change	mgrpoc_id	from LENGTH - 20	to	50
In Table	ehacmsur	Change	contr_id	from LENGTH - 20	to	50
In Table	ehacmsur	Change	poc_id	from LENGTH - 20	to	50
In Table	ehaqmapp	Change	owner_id	from LENGTH - 20	to	50
In Table	ehaqmapp	Change	poc_id	from LENGTH - 20	to	50
In Table	ehaqmapp	Change	sig_poc_id	from LENGTH - 20	to	50
In Table	ehaqmpmt	Change	owner_id	from LENGTH - 20	to	50
In Table	ehaqmpmt	Change	permit_id	from LENGTH - 20	to	50

In Table	ehaqmpmt	Change	poc_id	from LENGTH - 20	to	50
In Table	ehbdhldh	Change	mgrpoc_id	from LENGTH - 20	to	50
In Table	ehchaspt	Change	agency_id	from LENGTH - 20	to	50
In Table	ehchaspt	Change	contract_id	from LENGTH - 20	to	50
In Table	ehchaspt	Change	estco_id	from LENGTH - 20	to	50
In Table	ehchaspt	Change	exco_id	from LENGTH - 20	to	50
In Table	ehchaspt	Change	monumnt_id	from LENGTH - 20	to	50
In Table	ehchaspt	Change	owner_id	from LENGTH - 20	to	50
In Table	ehchaspt	Change	poc_id	from LENGTH - 20	to	50
In Table	ehchaspt	Change	wrk_ord_id	from LENGTH - 20	to	50
In Table	ehchaswm	Change	agency_id	from LENGTH - 20	to	50
In Table	ehefmemi	Change	wrk_ord_id	from LENGTH - 20	to	50
In Table	ehefmfqc	Change	lgcontr_id	from LENGTH - 20	to	50
In Table	ehefmfqc	Change	wrk_ord_id	from LENGTH - 20	to	50
In Table	ehefmlam	Change	lab_id	from LENGTH - 20	to	50
In Table	ehefmlli	Change	lab_id	from LENGTH - 20	to	50
In Table	ehefmlqc	Change	wrk_ord_id	from LENGTH - 20	to	50
In Table	ehefmsam	Change	lgcontr_id	from LENGTH - 20	to	50
In Table	ehefmsam	Change	wrk_ord_id	from LENGTH - 20	to	50
In Table	ehefmtes	Change	lab_id	from LENGTH - 20	to	50
In Table	ehefmtes	Change	wrk_ord_id	from LENGTH - 20	to	50
In Table	ehenmeca	Change	poc_id	from LENGTH - 20	to	50
In Table	ehenmece	Change	poc_id	from LENGTH - 20	to	50
In Table	ehenmecf	Change	poc_id	from LENGTH - 20	to	50
In Table	ehenmeci	Change	poc_id	from LENGTH - 20	to	50
In Table	ehenmecm	Change	poc_id	from LENGTH - 20	to	50
In Table	ehenmecn	Change	poc_id	from LENGTH - 20	to	50
In Table	ehenmect	Change	poc_id	from LENGTH - 20	to	50
In Table	ehenmpro	Change	project_id	from LENGTH - 20	to	50
In Table	ehenmreg	Change	address_id	from LENGTH - 20	to	50
In Table	ehenmreg	Change	poc_id	from LENGTH - 20	to	50
In Table	ehenmsit	Change	owner_id	from LENGTH - 20	to	50
In Table	ehenmuse	Change	address_id	from LENGTH - 20	to	50
In Table	ehenmuse	Change	owner_id	from LENGTH - 20	to	50
In Table	ehenmuse	Change	poc_id	from LENGTH - 20	to	50
In Table	ehgenocp	Change	owner_id	from LENGTH - 20	to	50
In Table	ehgensic	Change	owner_id	from LENGTH - 20	to	50
In Table	ehgensra	Change	observ_id	from LENGTH - 20	to	50
In Table	ehgensra	Change	owner_id	from LENGTH - 20	to	50
In Table	ehgenwwt	Change	manuf_id	from LENGTH - 20	to	50
In Table	ehgenwwt	Change	owner_id	from LENGTH - 20	to	50
In Table	ehhmwhml	Change	poc_id	from LENGTH - 20	to	50
In Table	ehhzminv	Change	poc_id	from LENGTH - 20	to	50
In Table	ehhzminv	Change	vendor_id	from LENGTH - 20	to	50
In Table	ehhzminv	Change	wrk_ord_id	from LENGTH - 20	to	50
In Table	ehhzmiss	Change	issepoc_id	from LENGTH - 20	to	50
In Table	ehhzmiss	Change	issrpoc_id	from LENGTH - 20	to	50
In Table	ehhzmitm	Change	poc_id	from LENGTH - 20	to	50
In Table	ehhzmmsd	Change	poc_id	from LENGTH - 20	to	50

In Table	ehhzmmsd	Change	vendor_id	from LENGTH - 20	to	50
In Table	ehhzwcon	Change	contr_id	from LENGTH - 20	to	50
In Table	ehhzwcon	Change	poc_id	from LENGTH - 20	to	50
In Table	ehhzwdis	Change	contr_id	from LENGTH - 20	to	50
In Table	ehhzwdis	Change	dfpoc_id	from LENGTH - 20	to	50
In Table	ehhzwdis	Change	poc_id	from LENGTH - 20	to	50
In Table	ehhzwgen	Change	poc_id	from LENGTH - 20	to	50
In Table	ehhzwpln	Change	contr_id	from LENGTH - 20	to	50
In Table	ehhzwpln	Change	hwplpoc_id	from LENGTH - 20	to	50
In Table	ehhzwpln	Change	plan_id	from LENGTH - 20	to	50
In Table	ehhzwpln	Change	poc_id	from LENGTH - 20	to	50
In Table	ehhzwpmnt	Change	permit_id	from LENGTH - 20	to	50
In Table	ehhzwrsk	Change	contr_id	from LENGTH - 20	to	50
In Table	ehhzwrsk	Change	poc_id	from LENGTH - 20	to	50
In Table	ehhzwrsk	Change	study_id	from LENGTH - 20	to	50
In Table	ehhzwstg	Change	poc_id	from LENGTH - 20	to	50
In Table	ehhzwtns	Change	contr_id	from LENGTH - 20	to	50
In Table	ehhzwtns	Change	mfpoc_id	from LENGTH - 20	to	50
In Table	ehhzwtns	Change	poc_id	from LENGTH - 20	to	50
In Table	ehhzwtrt	Change	contr_id	from LENGTH - 20	to	50
In Table	ehhzwtrt	Change	dfpoc_id	from LENGTH - 20	to	50
In Table	ehhzwtrt	Change	poc_id	from LENGTH - 20	to	50
In Table	ehhzwst	Change	poc_id	from LENGTH - 20	to	50
In Table	ehiahcmp	Change	cmp_poc_id	from LENGTH - 20	to	50
In Table	ehiahcmp	Change	hs_poc_id	from LENGTH - 20	to	50
In Table	ehiahstd	Change	poc_id	from LENGTH - 20	to	50
In Table	ehlptgrp	Change	poc_id	from LENGTH - 20	to	50
In Table	ehlptinv	Change	certpoc_id	from LENGTH - 20	to	50
In Table	ehlptinv	Change	contr_id	from LENGTH - 20	to	50
In Table	ehlptinv	Change	insppoc_id	from LENGTH - 20	to	50
In Table	ehlptinv	Change	mgrpoc_id	from LENGTH - 20	to	50
In Table	ehlptsur	Change	contr_id	from LENGTH - 20	to	50
In Table	ehlptsur	Change	poc_id	from LENGTH - 20	to	50
In Table	ehpcbinv	Change	contr_id	from LENGTH - 20	to	50
In Table	ehpcbinv	Change	insppoc_id	from LENGTH - 20	to	50
In Table	ehpcbinv	Change	mgrpoc_id	from LENGTH - 20	to	50
In Table	ehpcbsur	Change	contr_id	from LENGTH - 20	to	50
In Table	ehpcbsur	Change	poc_id	from LENGTH - 20	to	50
In Table	ehpolpsp	Change	owner_id	from LENGTH - 20	to	50
In Table	ehrmgrsp	Change	wrk_ord_id	from LENGTH - 20	to	50
In Table	ehrmgrti	Change	wrk_ord_id	from LENGTH - 20	to	50
In Table	ehrmgrtp	Change	wrk_ord_id	from LENGTH - 20	to	50
In Table	ehrstent	Change	entpoc_id	from LENGTH - 20	to	50
In Table	ehrstent	Change	plan_id	from LENGTH - 20	to	50
In Table	ehrstent	Change	safpoc_id	from LENGTH - 20	to	50
In Table	ehrstent	Change	suppoc_id	from LENGTH - 20	to	50
In Table	ehrstins	Change	contr_id	from LENGTH - 20	to	50
In Table	ehrstins	Change	insppoc_id	from LENGTH - 20	to	50
In Table	ehrstins	Change	mgrpoc_id	from LENGTH - 20	to	50

In Table	ehrstpmt	Change	mgrpoc_id	from LENGTH - 20	to	50
In Table	ehrstspl	Change	spilpoc_id	from LENGTH - 20	to	50
In Table	ehsitaoc	Change	owner_id	from LENGTH - 20	to	50
In Table	ehsitfud	Change	county_id	from LENGTH - 20	to	50
In Table	ehsitfud	Change	owner_id	from LENGTH - 20	to	50
In Table	ehswdapp	Change	owner_id	from LENGTH - 20	to	50
In Table	ehswdapp	Change	poc_id	from LENGTH - 20	to	50
In Table	ehswdapp	Change	sig_poc_id	from LENGTH - 20	to	50
In Table	ehswdaud	Change	poc_id	from LENGTH - 20	to	50
In Table	ehswddcm	Change	poc_id	from LENGTH - 20	to	50
In Table	ehswdins	Change	poc_id	from LENGTH - 20	to	50
In Table	ehswdmon	Change	contr_id	from LENGTH - 20	to	50
In Table	ehswdmon	Change	rep_poc_id	from LENGTH - 20	to	50
In Table	ehswdmon	Change	sig_poc_id	from LENGTH - 20	to	50
In Table	ehswdpmt	Change	owner_id	from LENGTH - 20	to	50
In Table	ehswdpmt	Change	permit_id	from LENGTH - 20	to	50
In Table	ehswdpmt	Change	poc_id	from LENGTH - 20	to	50
In Table	ehswdswa	Change	contpoc_id	from LENGTH - 20	to	50
In Table	ehswdswa	Change	contr_id	from LENGTH - 20	to	50
In Table	ehswdswa	Change	owner_id	from LENGTH - 20	to	50
In Table	ehswdswa	Change	ownrpoc_id	from LENGTH - 20	to	50
In Table	ehswdswa	Change	project_id	from LENGTH - 20	to	50
In Table	ehswdswa	Change	sig_poc_id	from LENGTH - 20	to	50
In Table	ehswdswa	Change	swdswa_id	from LENGTH - 20	to	50
In Table	ehswdswl	Change	insppoc_id	from LENGTH - 20	to	50
In Table	ehswdswm	Change	contpoc_id	from LENGTH - 20	to	50
In Table	ehswdswm	Change	contr_id	from LENGTH - 20	to	50
In Table	ehswdswm	Change	owner_id	from LENGTH - 20	to	50
In Table	ehswdswm	Change	ownrpoc_id	from LENGTH - 20	to	50
In Table	ehswdswm	Change	project_id	from LENGTH - 20	to	50
In Table	ehswdswm	Change	sig_poc_id	from LENGTH - 20	to	50
In Table	ehswdswp	Change	contpoc_id	from LENGTH - 20	to	50
In Table	ehswdswp	Change	contr_id	from LENGTH - 20	to	50
In Table	ehswdswp	Change	owner_id	from LENGTH - 20	to	50
In Table	ehswdswp	Change	ownrpoc_id	from LENGTH - 20	to	50
In Table	ehswdswp	Change	permit_id	from LENGTH - 20	to	50
In Table	ehswdswp	Change	project_id	from LENGTH - 20	to	50
In Table	ehswdswp	Change	sig_poc_id	from LENGTH - 20	to	50
In Table	ehswdswp	Change	swdswa_id	from LENGTH - 20	to	50
In Table	ehswmcfa	Change	contract_id	from LENGTH - 20	to	50
In Table	ehswmcfa	Change	owner_id	from LENGTH - 20	to	50
In Table	ehswmcfl	Change	contract_id	from LENGTH - 20	to	50
In Table	ehswmcfl	Change	manuf_id	from LENGTH - 20	to	50
In Table	ehswmcfl	Change	owner_id	from LENGTH - 20	to	50
In Table	ehswmcop	Change	contract_id	from LENGTH - 20	to	50
In Table	ehswmcop	Change	manuf_id	from LENGTH - 20	to	50
In Table	ehswmcop	Change	owner_id	from LENGTH - 20	to	50
In Table	ehswmlfl	Change	observ_id	from LENGTH - 20	to	50
In Table	ehswmlfl	Change	owner_id	from LENGTH - 20	to	50

In Table	ehswmlfl	Change	project_id	from LENGTH - 20	to	50
In Table	ehtnkust	Change	owner_id	from LENGTH - 20	to	50
In Table	fahabars	Change	project_id	from LENGTH - 20	to	50
In Table	fahabpop	Change	project_id	from LENGTH - 20	to	50
In Table	fahabpop	Change	study_id	from LENGTH - 20	to	50
In Table	famgtbuf	Change	project_id	from LENGTH - 20	to	50
In Table	famgtffm	Change	agency_id	from LENGTH - 20	to	50
In Table	famgtgov	Change	agency_id	from LENGTH - 20	to	50
In Table	famgtgov	Change	project_id	from LENGTH - 20	to	50
In Table	famgtins	Change	project_id	from LENGTH - 20	to	50
In Table	famgtsmp	Change	agency_id	from LENGTH - 20	to	50
In Table	famgtsmp	Change	study_id	from LENGTH - 20	to	50
In Table	famgtsty	Change	agency_id	from LENGTH - 20	to	50
In Table	famgtsty	Change	project_id	from LENGTH - 20	to	50
In Table	famgtsty	Change	study_id	from LENGTH - 20	to	50
In Table	famgttrp	Change	permit_id	from LENGTH - 20	to	50
In Table	flfmghar	Change	project_id	from LENGTH - 20	to	50
In Table	flhabveg	Change	agency_id	from LENGTH - 20	to	50
In Table	flhabveg	Change	project_id	from LENGTH - 20	to	50
In Table	flmgtfir	Change	poc_id	from LENGTH - 20	to	50
In Table	flmgtfir	Change	project_id	from LENGTH - 20	to	50
In Table	flmgtfst	Change	project_id	from LENGTH - 20	to	50
In Table	flmgttrpl	Change	project_id	from LENGTH - 20	to	50
In Table	flmgtsmp	Change	agency_id	from LENGTH - 20	to	50
In Table	flmgtsty	Change	agency_id	from LENGTH - 20	to	50
In Table	flmgtsty	Change	study_id	from LENGTH - 20	to	50
In Table	flmgttim	Change	project_id	from LENGTH - 20	to	50
In Table	flmgttss	Change	project_id	from LENGTH - 20	to	50
In Table	flprzrfb	Change	county_id	from LENGTH - 20	to	50
In Table	flprzrfp	Change	county_id	from LENGTH - 20	to	50
In Table	fpgenprj	Change	project_id	from LENGTH - 20	to	50
In Table	gdsgsqud	Change	agency_id	from LENGTH - 20	to	50
In Table	gdsgsqud	Change	project_id	from LENGTH - 20	to	50
In Table	gdsriprj	Change	contr_id	from LENGTH - 20	to	50
In Table	gdsriprj	Change	contract_id	from LENGTH - 20	to	50
In Table	gdsriprj	Change	project_id	from LENGTH - 20	to	50
In Table	gdsrvimg	Change	image_id	from LENGTH - 20	to	100
In Table	gdsrvmnt	Change	agency_id	from LENGTH - 20	to	50
In Table	gdsrvmnt	Change	contr_id	from LENGTH - 20	to	50
In Table	gdsrvmnt	Change	monumnt_id	from LENGTH - 20	to	50
In Table	gdsrvmnt	Change	phase_id	from LENGTH - 20	to	50
In Table	gdsrvmnt	Change	project_id	from LENGTH - 20	to	50
In Table	gdsrvmnt	Change	visible_mn	from LENGTH - 30	to	240
In Table	gdsrvpct	Change	contr_id	from LENGTH - 20	to	50
In Table	gdsrvphp	Change	contr_id	from LENGTH - 20	to	50
In Table	gesubbhl	Change	contr_id	from LENGTH - 20	to	50
In Table	gesubbhl	Change	contract_id	from LENGTH - 20	to	50
In Table	gesubbhl	Change	dcontr_id	from LENGTH - 20	to	50
In Table	gesuilit	Change	contr_id	from LENGTH - 20	to	50

In Table	gesuilit	Change	wrk_ord_id	from LENGTH - 20	to	50
In Table	gesursrv	Change	project_id	from LENGTH - 20	to	50
In Table	gesursrv	Change	study_id	from LENGTH - 20	to	50
In Table	hysubpiz	Change	agency_id	from LENGTH - 20	to	50
In Table	hysufsrv	Change	contr_id	from LENGTH - 20	to	50
In Table	hysufsrv	Change	poc_id	from LENGTH - 20	to	50
In Table	hysufsrv	Change	project_id	from LENGTH - 20	to	50
In Table	hysurflw	Change	agency_id	from LENGTH - 20	to	50
In Table	hysurlog	Change	contr_id	from LENGTH - 20	to	50
In Table	imeridmt	Change	contr_id	from LENGTH - 20	to	50
In Table	imeridmt	Change	contract_id	from LENGTH - 20	to	50
In Table	imeriwct	Change	contr_id	from LENGTH - 20	to	50
In Table	imeriwct	Change	contract_id	from LENGTH - 20	to	50
In Table	imeriwmt	Change	contr_id	from LENGTH - 20	to	50
In Table	imeriwmt	Change	contract_id	from LENGTH - 20	to	50
In Table	imeroacm	Change	contr_id	from LENGTH - 20	to	50
In Table	imeroacm	Change	contract_id	from LENGTH - 20	to	50
In Table	imeroacm	Change	project_id	from LENGTH - 20	to	50
In Table	imerobds	Change	project_id	from LENGTH - 20	to	50
In Table	imerobdw	Change	contr_id	from LENGTH - 20	to	50
In Table	imerobdw	Change	contract_id	from LENGTH - 20	to	50
In Table	imerobdw	Change	manuf_id	from LENGTH - 20	to	50
In Table	imerobdw	Change	owner_id	from LENGTH - 20	to	50
In Table	imerobdw	Change	project_id	from LENGTH - 20	to	50
In Table	imerodik	Change	contr_id	from LENGTH - 20	to	50
In Table	imerodik	Change	contract_id	from LENGTH - 20	to	50
In Table	imerodik	Change	project_id	from LENGTH - 20	to	50
In Table	imerodks	Change	project_id	from LENGTH - 20	to	50
In Table	imerofor	Change	contr_id	from LENGTH - 20	to	50
In Table	imerofor	Change	contract_id	from LENGTH - 20	to	50
In Table	imerofor	Change	monumnt_id	from LENGTH - 20	to	50
In Table	imerofor	Change	project_id	from LENGTH - 20	to	50
In Table	imeropav	Change	contr_id	from LENGTH - 20	to	50
In Table	imeropav	Change	contract_id	from LENGTH - 20	to	50
In Table	imeropav	Change	project_id	from LENGTH - 20	to	50
In Table	imerorev	Change	contr_id	from LENGTH - 20	to	50
In Table	imerorev	Change	contract_id	from LENGTH - 20	to	50
In Table	imerorev	Change	feat_name	from LENGTH - 30	to	40
In Table	imerorev	Change	project_id	from LENGTH - 20	to	50
In Table	imerostn	Change	contr_id	from LENGTH - 20	to	50
In Table	imerostn	Change	contract_id	from LENGTH - 20	to	50
In Table	imerostn	Change	project_id	from LENGTH - 20	to	50
In Table	imfdcbkrk	Change	contr_id	from LENGTH - 20	to	50
In Table	imfdcbkrk	Change	project_id	from LENGTH - 20	to	50
In Table	imfdcbrm	Change	contr_id	from LENGTH - 20	to	50
In Table	imfdcbrm	Change	project_id	from LENGTH - 20	to	50
In Table	imfdcdam	Change	project_id	from LENGTH - 20	to	50
In Table	imfdcdis	Change	agency_id	from LENGTH - 20	to	50
In Table	imfdcdrn	Change	project_id	from LENGTH - 20	to	50

In Table	imfdclfd	Change	project_id	from LENGTH - 20	to	50
In Table	imfdcgat	Change	contr_id	from LENGTH - 20	to	50
In Table	imfdcgat	Change	contract_id	from LENGTH - 20	to	50
In Table	imfdcgat	Change	project_id	from LENGTH - 20	to	50
In Table	imfdclbl	Change	contr_id	from LENGTH - 20	to	50
In Table	imfdclct	Change	contr_id	from LENGTH - 20	to	50
In Table	imfdclcv	Change	contr_id	from LENGTH - 20	to	50
In Table	imfdclcv	Change	contract_id	from LENGTH - 20	to	50
In Table	imfdclcv	Change	owner_id	from LENGTH - 20	to	50
In Table	imfdclcv	Change	project_id	from LENGTH - 20	to	50
In Table	imfdcljb	Change	contr_id	from LENGTH - 20	to	50
In Table	imfdcljb	Change	contract_id	from LENGTH - 20	to	50
In Table	imfdcljb	Change	project_id	from LENGTH - 20	to	50
In Table	imfdclst	Change	project_id	from LENGTH - 20	to	50
In Table	imfdclvp	Change	agency_id	from LENGTH - 20	to	50
In Table	imfdclvp	Change	owner_id	from LENGTH - 20	to	50
In Table	imfdclvp	Change	project_id	from LENGTH - 20	to	50
In Table	imfdclwk	Change	contract_id	from LENGTH - 20	to	50
In Table	imfdclwk	Change	owner_id	from LENGTH - 20	to	50
In Table	imfdcrel	Change	project_id	from LENGTH - 20	to	50
In Table	imfdcsld	Change	contr_id	from LENGTH - 20	to	50
In Table	imfdcsld	Change	contract_id	from LENGTH - 20	to	50
In Table	imfdcsld	Change	project_id	from LENGTH - 20	to	50
In Table	imfdcwai	Change	agency_id	from LENGTH - 20	to	50
In Table	imfdcwai	Change	project_id	from LENGTH - 20	to	50
In Table	imfdidct	Change	contr_id	from LENGTH - 20	to	50
In Table	imfdidct	Change	contract_id	from LENGTH - 20	to	50
In Table	imgenfnc	Change	poc_id	from LENGTH - 20	to	50
In Table	imgengat	Change	poc_id	from LENGTH - 20	to	50
In Table	imgenmis	Change	owner_id	from LENGTH - 20	to	50
In Table	immacgel	Change	owner_id	from LENGTH - 20	to	50
In Table	immacplt	Change	owner_id	from LENGTH - 20	to	50
In Table	immacwnd	Change	owner_id	from LENGTH - 20	to	50
In Table	imrecbtr	Change	owner_id	from LENGTH - 20	to	50
In Table	imrecbtr	Change	permit_id	from LENGTH - 20	to	50
In Table	imreccam	Change	agency_id	from LENGTH - 20	to	50
In Table	imreccmp	Change	agency_id	from LENGTH - 20	to	50
In Table	imrecfet	Change	owner_id	from LENGTH - 20	to	50
In Table	imrecfet	Change	permit_id	from LENGTH - 20	to	50
In Table	imrecmar	Change	owner_id	from LENGTH - 20	to	50
In Table	imrecmar	Change	permit_id	from LENGTH - 20	to	50
In Table	imrecpic	Change	agency_id	from LENGTH - 20	to	50
In Table	imrecprk	Change	agency_id	from LENGTH - 20	to	50
In Table	imwelnat	Change	owner_id	from LENGTH - 20	to	50
In Table	imwelwel	Change	contr_id	from LENGTH - 20	to	50
In Table	imwelwel	Change	contract_id	from LENGTH - 20	to	50
In Table	imwelwel	Change	dcontr_id	from LENGTH - 20	to	50
In Table	imwelwel	Change	owner_id	from LENGTH - 20	to	50
In Table	imwelwel	Change	project_id	from LENGTH - 20	to	50

In Table	imwelwel	Change	wrk_ord_id	from LENGTH - 20	to	50
In Table	imwliaqt	Change	wrk_ord_id	from LENGTH - 20	to	50
In Table	imwliawl	Change	lgcontr_id	from LENGTH - 20	to	50
In Table	imwliawl	Change	wrk_ord_id	from LENGTH - 20	to	50
In Table	imwlihyd	Change	lgcontr_id	from LENGTH - 20	to	50
In Table	imwlihyd	Change	wrk_ord_id	from LENGTH - 20	to	50
In Table	imwliilog	Change	wrk_ord_id	from LENGTH - 20	to	50
In Table	imwlipin	Change	lgcontr_id	from LENGTH - 20	to	50
In Table	imwlipin	Change	wrk_ord_id	from LENGTH - 20	to	50
In Table	imwlitra	Change	wrk_ord_id	from LENGTH - 20	to	50
In Table	imwlitwl	Change	wrk_ord_id	from LENGTH - 20	to	50
In Table	lfbthcom	Change	contr_id	from LENGTH - 20	to	50
In Table	lfbthcom	Change	permit_id	from LENGTH - 20	to	50
In Table	lfbthsra	Change	contr_id	from LENGTH - 20	to	50
In Table	lfbthsra	Change	poc_id	from LENGTH - 20	to	50
In Table	lfbthsra	Change	project_id	from LENGTH - 20	to	50
In Table	lfbthsub	Change	agency_id	from LENGTH - 20	to	50
In Table	lfbthsub	Change	contr_id	from LENGTH - 20	to	50
In Table	lfbthsub	Change	contract_id	from LENGTH - 20	to	50
In Table	lfbthsub	Change	permit_id	from LENGTH - 20	to	50
In Table	lfbthsub	Change	project_id	from LENGTH - 20	to	50
In Table	lftopsvr	Change	contr_id	from LENGTH - 20	to	50
In Table	lftopsvr	Change	contract_id	from LENGTH - 20	to	50
In Table	lscndcem	Change	address_id	from LENGTH - 20	to	50
In Table	lscndcem	Change	agency_id	from LENGTH - 20	to	50
In Table	lscndcem	Change	owner_id	from LENGTH - 20	to	50
In Table	lscndcem	Change	project_id	from LENGTH - 20	to	50
In Table	lscndfrm	Change	permit_id	from LENGTH - 20	to	50
In Table	lscndgma	Change	project_id	from LENGTH - 20	to	50
In Table	lsgenmin	Change	project_id	from LENGTH - 20	to	50
In Table	lsmgtcon	Change	project_id	from LENGTH - 20	to	50
In Table	lsmgtprb	Change	project_id	from LENGTH - 20	to	50
In Table	lsmgtprcl	Change	project_id	from LENGTH - 20	to	50
In Table	lsmgtres	Change	agency_id	from LENGTH - 20	to	50
In Table	mlraninf	Change	owner_id	from LENGTH - 20	to	50
In Table	mlraninf	Change	poc_id	from LENGTH - 20	to	50
In Table	mlsftert	Change	poc_id	from LENGTH - 20	to	50
In Table	traflafd	Change	agency_id	from LENGTH - 20	to	50
In Table	traflafd	Change	feat_name	from LENGTH - 30	to	50
In Table	traflafd	Change	owner_id	from LENGTH - 20	to	50
In Table	traflbuf	Change	agency_id	from LENGTH - 20	to	50
In Table	trairobs	Change	owner_id	from LENGTH - 20	to	50
In Table	trairsur	Change	agency_id	from LENGTH - 20	to	50
In Table	trairway	Change	agency_id	from LENGTH - 20	to	50
In Table	trairzon	Change	agency_id	from LENGTH - 20	to	50
In Table	trgenchk	Change	agency_id	from LENGTH - 20	to	50
In Table	trgenhcr	Change	poc_id	from LENGTH - 20	to	50
In Table	trhrbare	Change	agency_id	from LENGTH - 20	to	50
In Table	trhrbare	Change	contr_id	from LENGTH - 20	to	50

In Table	trhrbdol	Change	owner_id	from LENGTH - 20	to	50
In Table	trhrbfee	Change	agency_id	from LENGTH - 20	to	50
In Table	trhrbfld	Change	permit_id	from LENGTH - 20	to	50
In Table	trhrbmor	Change	image_id	from LENGTH - 20	to	100
In Table	trhrbmor	Change	owner_id	from LENGTH - 20	to	50
In Table	trhrbter	Change	owner_id	from LENGTH - 20	to	50
In Table	trhrbter	Change	permit_id	from LENGTH - 20	to	50
In Table	trhrbves	Change	owner_id	from LENGTH - 20	to	50
In Table	trlocarv	Change	agency_id	from LENGTH - 20	to	50
In Table	trlocarv	Change	project_id	from LENGTH - 20	to	50
In Table	trloccha	Change	project_id	from LENGTH - 20	to	50
In Table	trlocgwl	Change	project_id	from LENGTH - 20	to	50
In Table	trlocops	Change	project_id	from LENGTH - 20	to	50
In Table	trlocsys	Change	agency_id	from LENGTH - 20	to	50
In Table	trmaracg	Change	owner_id	from LENGTH - 20	to	50
In Table	trmarflt	Change	owner_id	from LENGTH - 20	to	50
In Table	trmarflt	Change	permit_id	from LENGTH - 28	to	50
In Table	trmarmby	Change	owner_id	from LENGTH - 20	to	50
In Table	trmarmby	Change	permit_id	from LENGTH - 20	to	50
In Table	trmarplt	Change	agency_id	from LENGTH - 20	to	50
In Table	trmarрте	Change	agency_id	from LENGTH - 20	to	50
In Table	trmarрте	Change	owner_id	from LENGTH - 20	to	50
In Table	trnavacc	Change	owner_id	from LENGTH - 20	to	50
In Table	trnavlmk	Change	owner_id	from LENGTH - 20	to	50
In Table	trnavuob	Change	image_id	from LENGTH - 20	to	100
In Table	trnavuob	Change	owner_id	from LENGTH - 20	to	50
In Table	trnavuob	Change	permit_id	from LENGTH - 20	to	50
In Table	trnavwrk	Change	image_id	from LENGTH - 20	to	100
In Table	trpedwlk	Change	owner_id	from LENGTH - 20	to	50
In Table	trrrdrcl	Change	owner_id	from LENGTH - 20	to	50
In Table	trrrdrcl	Change	poc_id	from LENGTH - 20	to	50
In Table	trrrdseg	Change	owner_id	from LENGTH - 20	to	50
In Table	trrrdseg	Change	poc_id	from LENGTH - 20	to	50
In Table	trrrdyrd	Change	owner_id	from LENGTH - 20	to	50
In Table	trvehbrg	Change	poc_id	from LENGTH - 20	to	50
In Table	trvehprk	Change	agency_id	from LENGTH - 20	to	50
In Table	trvehrds	Change	owner_id	from LENGTH - 20	to	50
In Table	trvehwei	Change	agency_id	from LENGTH - 20	to	50
In Table	trvhigcd	Change	address_id	from LENGTH - 20	to	50
In Table	utecmcbl	Change	project_id	from LENGTH - 20	to	50
In Table	utecmdbk	Change	project_id	from LENGTH - 20	to	50
In Table	utecmdev	Change	manuf_id	from LENGTH - 20	to	50
In Table	utecmdev	Change	project_id	from LENGTH - 20	to	50
In Table	utecmped	Change	manuf_id	from LENGTH - 20	to	50
In Table	utecmped	Change	project_id	from LENGTH - 20	to	50
In Table	utelebgp	Change	project_id	from LENGTH - 20	to	50
In Table	utelecap	Change	manuf_id	from LENGTH - 20	to	50
In Table	utelecap	Change	project_id	from LENGTH - 20	to	50
In Table	utelecgp	Change	owner_id	from LENGTH - 20	to	50

In Table	utelecg	Change	project_id	from LENGTH - 20	to	50
In Table	uteledbk	Change	manuf_id	from LENGTH - 20	to	50
In Table	uteledbk	Change	owner_id	from LENGTH - 20	to	50
In Table	uteledbk	Change	project_id	from LENGTH - 20	to	50
In Table	utelegen	Change	eng_man_id	from LENGTH - 20	to	50
In Table	utelegen	Change	manuf_id	from LENGTH - 20	to	50
In Table	utelegen	Change	project_id	from LENGTH - 20	to	50
In Table	utelemh	Change	manuf_id	from LENGTH - 20	to	50
In Table	utelemh	Change	project_id	from LENGTH - 20	to	50
In Table	utelemot	Change	manuf_id	from LENGTH - 20	to	50
In Table	utelemot	Change	project_id	from LENGTH - 20	to	50
In Table	utelemtr	Change	manuf_id	from LENGTH - 20	to	50
In Table	utelemtr	Change	owner_id	from LENGTH - 20	to	50
In Table	utelemtr	Change	project_id	from LENGTH - 20	to	50
In Table	uteleped	Change	manuf_id	from LENGTH - 20	to	50
In Table	uteleped	Change	project_id	from LENGTH - 20	to	50
In Table	utelereg	Change	manuf_id	from LENGTH - 20	to	50
In Table	utelereg	Change	owner_id	from LENGTH - 20	to	50
In Table	utelereg	Change	project_id	from LENGTH - 20	to	50
In Table	utelesst	Change	owner_id	from LENGTH - 20	to	50
In Table	utelesst	Change	project_id	from LENGTH - 20	to	50
In Table	uteleswt	Change	manuf_id	from LENGTH - 20	to	50
In Table	uteleswt	Change	owner_id	from LENGTH - 20	to	50
In Table	uteleswt	Change	project_id	from LENGTH - 20	to	50
In Table	uteletbk	Change	project_id	from LENGTH - 20	to	50
In Table	uteletvt	Change	manuf_id	from LENGTH - 20	to	50
In Table	uteletvt	Change	project_id	from LENGTH - 20	to	50
In Table	utelitfr	Change	manuf_id	from LENGTH - 20	to	50
In Table	utelitfr	Change	owner_id	from LENGTH - 20	to	50
In Table	utelitfr	Change	project_id	from LENGTH - 20	to	50
In Table	utexllit	Change	poc_id	from LENGTH - 20	to	50
In Table	utfulfit	Change	manuf_id	from LENGTH - 20	to	50
In Table	utfulfit	Change	owner_id	from LENGTH - 20	to	50
In Table	utfulfit	Change	project_id	from LENGTH - 20	to	50
In Table	utfulhyd	Change	manuf_id	from LENGTH - 20	to	50
In Table	utfulhyd	Change	owner_id	from LENGTH - 20	to	50
In Table	utfulhyd	Change	project_id	from LENGTH - 20	to	50
In Table	utfulmh	Change	manuf_id	from LENGTH - 20	to	50
In Table	utfulmh	Change	owner_id	from LENGTH - 20	to	50
In Table	utfulmh	Change	project_id	from LENGTH - 20	to	50
In Table	utfulmtr	Change	manuf_id	from LENGTH - 20	to	50
In Table	utfulmtr	Change	owner_id	from LENGTH - 20	to	50
In Table	utfulmtr	Change	project_id	from LENGTH - 20	to	50
In Table	utfulpip	Change	manuf_id	from LENGTH - 20	to	50
In Table	utfulpip	Change	owner_id	from LENGTH - 20	to	50
In Table	utfulpip	Change	project_id	from LENGTH - 20	to	50
In Table	utfulpmp	Change	manuf_id	from LENGTH - 20	to	50
In Table	utfulpmp	Change	observ_id	from LENGTH - 20	to	50
In Table	utfulpmp	Change	owner_id	from LENGTH - 20	to	50

In Table	utfulpmp	Change	project_id	from LENGTH - 20	to	50
In Table	utfulpst	Change	owner_id	from LENGTH - 20	to	50
In Table	utfulpst	Change	project_id	from LENGTH - 20	to	50
In Table	utfulreg	Change	manuf_id	from LENGTH - 20	to	50
In Table	utfulreg	Change	owner_id	from LENGTH - 20	to	50
In Table	utfulreg	Change	project_id	from LENGTH - 20	to	50
In Table	utfulsep	Change	manuf_id	from LENGTH - 20	to	50
In Table	utfulsep	Change	owner_id	from LENGTH - 20	to	50
In Table	utfulsep	Change	project_id	from LENGTH - 20	to	50
In Table	utfulsrc	Change	owner_id	from LENGTH - 20	to	50
In Table	utfulsrc	Change	project_id	from LENGTH - 20	to	50
In Table	utfultnk	Change	manuf_id	from LENGTH - 20	to	50
In Table	utfultnk	Change	owner_id	from LENGTH - 20	to	50
In Table	utfultnk	Change	project_id	from LENGTH - 20	to	50
In Table	utfulvlv	Change	manuf_id	from LENGTH - 20	to	50
In Table	utfulvlv	Change	owner_id	from LENGTH - 20	to	50
In Table	utfulvlv	Change	project_id	from LENGTH - 20	to	50
In Table	utgasfit	Change	manuf_id	from LENGTH - 20	to	50
In Table	utgasfit	Change	owner_id	from LENGTH - 20	to	50
In Table	utgasfit	Change	project_id	from LENGTH - 20	to	50
In Table	utgasfix	Change	manuf_id	from LENGTH - 20	to	50
In Table	utgasfix	Change	owner_id	from LENGTH - 20	to	50
In Table	utgasfix	Change	project_id	from LENGTH - 20	to	50
In Table	utgashyd	Change	manuf_id	from LENGTH - 20	to	50
In Table	utgashyd	Change	owner_id	from LENGTH - 20	to	50
In Table	utgashyd	Change	project_id	from LENGTH - 20	to	50
In Table	utgasmh	Change	manuf_id	from LENGTH - 20	to	50
In Table	utgasmh	Change	owner_id	from LENGTH - 20	to	50
In Table	utgasmh	Change	project_id	from LENGTH - 20	to	50
In Table	utgasmtr	Change	manuf_id	from LENGTH - 20	to	50
In Table	utgasmtr	Change	owner_id	from LENGTH - 20	to	50
In Table	utgasmtr	Change	project_id	from LENGTH - 20	to	50
In Table	utgaspip	Change	manuf_id	from LENGTH - 20	to	50
In Table	utgaspip	Change	owner_id	from LENGTH - 20	to	50
In Table	utgaspip	Change	project_id	from LENGTH - 20	to	50
In Table	utgaspmp	Change	manuf_id	from LENGTH - 20	to	50
In Table	utgaspmp	Change	observ_id	from LENGTH - 20	to	50
In Table	utgaspmp	Change	owner_id	from LENGTH - 20	to	50
In Table	utgaspmp	Change	project_id	from LENGTH - 20	to	50
In Table	utgaspst	Change	owner_id	from LENGTH - 20	to	50
In Table	utgaspst	Change	project_id	from LENGTH - 20	to	50
In Table	utgasreg	Change	manuf_id	from LENGTH - 20	to	50
In Table	utgasreg	Change	owner_id	from LENGTH - 20	to	50
In Table	utgasreg	Change	project_id	from LENGTH - 20	to	50
In Table	utgassrc	Change	owner_id	from LENGTH - 20	to	50
In Table	utgassrc	Change	project_id	from LENGTH - 20	to	50
In Table	utgastnk	Change	manuf_id	from LENGTH - 20	to	50
In Table	utgastnk	Change	owner_id	from LENGTH - 20	to	50
In Table	utgastnk	Change	project_id	from LENGTH - 20	to	50

In Table	utgasvlv	Change	manuf_id	from LENGTH - 20	to	50
In Table	utgasvlv	Change	owner_id	from LENGTH - 20	to	50
In Table	utgasvlv	Change	project_id	from LENGTH - 20	to	50
In Table	utgenguy	Change	manuf_id	from LENGTH - 20	to	50
In Table	utgenguy	Change	owner_id	from LENGTH - 20	to	50
In Table	utgenguy	Change	project_id	from LENGTH - 20	to	50
In Table	utgenmrk	Change	manuf_id	from LENGTH - 20	to	50
In Table	utgenmrk	Change	owner_id	from LENGTH - 20	to	50
In Table	utgenmrk	Change	project_id	from LENGTH - 20	to	50
In Table	utgenpol	Change	manuf_id	from LENGTH - 20	to	50
In Table	utgenpol	Change	owner_id	from LENGTH - 20	to	50
In Table	utgenpol	Change	project_id	from LENGTH - 20	to	50
In Table	utgnimnt	Change	contr_id	from LENGTH - 20	to	50
In Table	utgnimnt	Change	project_id	from LENGTH - 20	to	50
In Table	utgniphw	Change	manuf_id	from LENGTH - 20	to	50
In Table	utgniphw	Change	owner_id	from LENGTH - 20	to	50
In Table	utgniphw	Change	project_id	from LENGTH - 20	to	50
In Table	utgniplt	Change	project_id	from LENGTH - 20	to	50
In Table	uthciunt	Change	manuf_id	from LENGTH - 20	to	50
In Table	uthciunt	Change	owner_id	from LENGTH - 20	to	50
In Table	uthciunt	Change	project_id	from LENGTH - 20	to	50
In Table	uthcsfit	Change	manuf_id	from LENGTH - 20	to	50
In Table	uthcsfit	Change	owner_id	from LENGTH - 20	to	50
In Table	uthcsfit	Change	project_id	from LENGTH - 20	to	50
In Table	uthcsmh	Change	manuf_id	from LENGTH - 20	to	50
In Table	uthcsmh	Change	owner_id	from LENGTH - 20	to	50
In Table	uthcsmh	Change	project_id	from LENGTH - 20	to	50
In Table	uthcsmtr	Change	manuf_id	from LENGTH - 20	to	50
In Table	uthcsmtr	Change	owner_id	from LENGTH - 20	to	50
In Table	uthcsmtr	Change	project_id	from LENGTH - 20	to	50
In Table	uthcspip	Change	manuf_id	from LENGTH - 20	to	50
In Table	uthcspip	Change	owner_id	from LENGTH - 20	to	50
In Table	uthcspip	Change	project_id	from LENGTH - 20	to	50
In Table	uthcsplt	Change	owner_id	from LENGTH - 20	to	50
In Table	uthcsplt	Change	project_id	from LENGTH - 20	to	50
In Table	uthcspmp	Change	manuf_id	from LENGTH - 20	to	50
In Table	uthcspmp	Change	observ_id	from LENGTH - 20	to	50
In Table	uthcspmp	Change	owner_id	from LENGTH - 20	to	50
In Table	uthcspmp	Change	project_id	from LENGTH - 20	to	50
In Table	uthcsreg	Change	manuf_id	from LENGTH - 20	to	50
In Table	uthcsreg	Change	owner_id	from LENGTH - 20	to	50
In Table	uthcsreg	Change	project_id	from LENGTH - 20	to	50
In Table	uthcsvlv	Change	manuf_id	from LENGTH - 20	to	50
In Table	uthcsvlv	Change	owner_id	from LENGTH - 20	to	50
In Table	uthcsvlv	Change	project_id	from LENGTH - 20	to	50
In Table	utinwdcg	Change	owner_id	from LENGTH - 20	to	50
In Table	utinwdcg	Change	project_id	from LENGTH - 20	to	50
In Table	utinwfit	Change	manuf_id	from LENGTH - 20	to	50
In Table	utinwfit	Change	owner_id	from LENGTH - 20	to	50

In Table	utinwfit	Change	project_id	from LENGTH - 20	to	50
In Table	utinwgcb	Change	manuf_id	from LENGTH - 20	to	50
In Table	utinwgcb	Change	owner_id	from LENGTH - 20	to	50
In Table	utinwgcb	Change	project_id	from LENGTH - 20	to	50
In Table	utinwhdw	Change	project_id	from LENGTH - 20	to	50
In Table	utinwinl	Change	manuf_id	from LENGTH - 20	to	50
In Table	utinwinl	Change	owner_id	from LENGTH - 20	to	50
In Table	utinwinl	Change	project_id	from LENGTH - 20	to	50
In Table	utinwlgn	Change	manuf_id	from LENGTH - 20	to	50
In Table	utinwlgn	Change	owner_id	from LENGTH - 20	to	50
In Table	utinwlgn	Change	project_id	from LENGTH - 20	to	50
In Table	utinwmh	Change	manuf_id	from LENGTH - 20	to	50
In Table	utinwmh	Change	owner_id	from LENGTH - 20	to	50
In Table	utinwmh	Change	project_id	from LENGTH - 20	to	50
In Table	utinwmtr	Change	manuf_id	from LENGTH - 20	to	50
In Table	utinwmtr	Change	owner_id	from LENGTH - 20	to	50
In Table	utinwmtr	Change	project_id	from LENGTH - 20	to	50
In Table	utinwneu	Change	manuf_id	from LENGTH - 20	to	50
In Table	utinwneu	Change	owner_id	from LENGTH - 20	to	50
In Table	utinwneu	Change	project_id	from LENGTH - 20	to	50
In Table	utinwpip	Change	manuf_id	from LENGTH - 20	to	50
In Table	utinwpip	Change	owner_id	from LENGTH - 20	to	50
In Table	utinwpip	Change	project_id	from LENGTH - 20	to	50
In Table	utinwpmp	Change	manuf_id	from LENGTH - 20	to	50
In Table	utinwpmp	Change	owner_id	from LENGTH - 20	to	50
In Table	utinwpmp	Change	project_id	from LENGTH - 20	to	50
In Table	utinwpst	Change	owner_id	from LENGTH - 20	to	50
In Table	utinwpst	Change	project_id	from LENGTH - 20	to	50
In Table	utinwsep	Change	manuf_id	from LENGTH - 20	to	50
In Table	utinwsep	Change	owner_id	from LENGTH - 20	to	50
In Table	utinwsep	Change	project_id	from LENGTH - 20	to	50
In Table	utinwtnk	Change	manuf_id	from LENGTH - 20	to	50
In Table	utinwtnk	Change	owner_id	from LENGTH - 20	to	50
In Table	utinwtnk	Change	project_id	from LENGTH - 20	to	50
In Table	utinwtpt	Change	owner_id	from LENGTH - 20	to	50
In Table	utinwtpt	Change	project_id	from LENGTH - 20	to	50
In Table	utinwvlt	Change	manuf_id	from LENGTH - 20	to	50
In Table	utinwvlt	Change	owner_id	from LENGTH - 20	to	50
In Table	utinwvlt	Change	project_id	from LENGTH - 20	to	50
In Table	utinwvlv	Change	manuf_id	from LENGTH - 20	to	50
In Table	utinwvlv	Change	owner_id	from LENGTH - 20	to	50
In Table	utinwvlv	Change	project_id	from LENGTH - 20	to	50
In Table	utiwisdr	Change	manuf_id	from LENGTH - 20	to	50
In Table	utiwisdr	Change	owner_id	from LENGTH - 20	to	50
In Table	utiwisdr	Change	project_id	from LENGTH - 20	to	50
In Table	utstoarm	Change	owner_id	from LENGTH - 20	to	50
In Table	utstoarm	Change	project_id	from LENGTH - 20	to	50
In Table	utstodbn	Change	owner_id	from LENGTH - 20	to	50
In Table	utstodbn	Change	project_id	from LENGTH - 20	to	50

In Table	utstodcg	Change	owner_id	from LENGTH - 20	to	50
In Table	utstodcg	Change	project_id	from LENGTH - 20	to	50
In Table	utstodsp	Change	manuf_id	from LENGTH - 20	to	50
In Table	utstodsp	Change	project_id	from LENGTH - 20	to	50
In Table	utstofct	Change	manuf_id	from LENGTH - 20	to	50
In Table	utstofct	Change	owner_id	from LENGTH - 20	to	50
In Table	utstofct	Change	project_id	from LENGTH - 20	to	50
In Table	utstofit	Change	manuf_id	from LENGTH - 20	to	50
In Table	utstofit	Change	owner_id	from LENGTH - 20	to	50
In Table	utstofit	Change	project_id	from LENGTH - 20	to	50
In Table	utstofld	Change	project_id	from LENGTH - 20	to	50
In Table	utstogat	Change	manuf_id	from LENGTH - 20	to	50
In Table	utstogat	Change	owner_id	from LENGTH - 20	to	50
In Table	utstogat	Change	project_id	from LENGTH - 20	to	50
In Table	utstohdw	Change	owner_id	from LENGTH - 20	to	50
In Table	utstoinl	Change	manuf_id	from LENGTH - 20	to	50
In Table	utstoinl	Change	owner_id	from LENGTH - 20	to	50
In Table	utstoinl	Change	project_id	from LENGTH - 20	to	50
In Table	utstomh	Change	manuf_id	from LENGTH - 20	to	50
In Table	utstomh	Change	owner_id	from LENGTH - 20	to	50
In Table	utstomh	Change	project_id	from LENGTH - 20	to	50
In Table	utstooch	Change	owner_id	from LENGTH - 20	to	50
In Table	utstooch	Change	project_id	from LENGTH - 20	to	50
In Table	utstopip	Change	manuf_id	from LENGTH - 20	to	50
In Table	utstopip	Change	owner_id	from LENGTH - 20	to	50
In Table	utstopip	Change	project_id	from LENGTH - 20	to	50
In Table	utstopmp	Change	manuf_id	from LENGTH - 20	to	50
In Table	utstopmp	Change	owner_id	from LENGTH - 20	to	50
In Table	utstopmp	Change	project_id	from LENGTH - 20	to	50
In Table	utstopst	Change	agency_id	from LENGTH - 20	to	50
In Table	utstopst	Change	owner_id	from LENGTH - 20	to	50
In Table	utstopst	Change	project_id	from LENGTH - 20	to	50
In Table	utstores	Change	owner_id	from LENGTH - 20	to	50
In Table	utstores	Change	project_id	from LENGTH - 20	to	50
In Table	utstosbn	Change	owner_id	from LENGTH - 20	to	50
In Table	utstosbn	Change	project_id	from LENGTH - 20	to	50
In Table	utstosep	Change	manuf_id	from LENGTH - 20	to	50
In Table	utstosep	Change	owner_id	from LENGTH - 20	to	50
In Table	utstosep	Change	project_id	from LENGTH - 20	to	50
In Table	utstovlv	Change	manuf_id	from LENGTH - 20	to	50
In Table	utstovlv	Change	owner_id	from LENGTH - 20	to	50
In Table	utstovlv	Change	project_id	from LENGTH - 20	to	50
In Table	utwatfir	Change	manuf_id	from LENGTH - 20	to	50
In Table	utwatfir	Change	owner_id	from LENGTH - 20	to	50
In Table	utwatfir	Change	project_id	from LENGTH - 20	to	50
In Table	utwatfit	Change	manuf_id	from LENGTH - 20	to	50
In Table	utwatfit	Change	owner_id	from LENGTH - 20	to	50
In Table	utwatfit	Change	project_id	from LENGTH - 20	to	50
In Table	utwathyd	Change	manuf_id	from LENGTH - 20	to	50

In Table	utwathyd	Change	owner_id	from LENGTH - 20	to	50
In Table	utwathyd	Change	project_id	from LENGTH - 20	to	50
In Table	utwatmh	Change	manuf_id	from LENGTH - 20	to	50
In Table	utwatmh	Change	owner_id	from LENGTH - 20	to	50
In Table	utwatmh	Change	project_id	from LENGTH - 20	to	50
In Table	utwatmtr	Change	manuf_id	from LENGTH - 20	to	50
In Table	utwatmtr	Change	owner_id	from LENGTH - 20	to	50
In Table	utwatmtr	Change	project_id	from LENGTH - 20	to	50
In Table	utwatpip	Change	manuf_id	from LENGTH - 20	to	50
In Table	utwatpip	Change	owner_id	from LENGTH - 20	to	50
In Table	utwatpip	Change	project_id	from LENGTH - 20	to	50
In Table	utwatpmp	Change	manuf_id	from LENGTH - 20	to	50
In Table	utwatpmp	Change	observ_id	from LENGTH - 20	to	50
In Table	utwatpmp	Change	owner_id	from LENGTH - 20	to	50
In Table	utwatpmp	Change	project_id	from LENGTH - 20	to	50
In Table	utwatpst	Change	owner_id	from LENGTH - 20	to	50
In Table	utwatpst	Change	project_id	from LENGTH - 20	to	50
In Table	utwatreg	Change	manuf_id	from LENGTH - 20	to	50
In Table	utwatreg	Change	owner_id	from LENGTH - 20	to	50
In Table	utwatreg	Change	project_id	from LENGTH - 20	to	50
In Table	utwatrst	Change	manuf_id	from LENGTH - 20	to	50
In Table	utwatrst	Change	owner_id	from LENGTH - 20	to	50
In Table	utwatrst	Change	project_id	from LENGTH - 20	to	50
In Table	utwatsrc	Change	owner_id	from LENGTH - 20	to	50
In Table	utwatsrc	Change	project_id	from LENGTH - 20	to	50
In Table	utwattnk	Change	manuf_id	from LENGTH - 20	to	50
In Table	utwattnk	Change	owner_id	from LENGTH - 20	to	50
In Table	utwattnk	Change	project_id	from LENGTH - 20	to	50
In Table	utwattp	Change	owner_id	from LENGTH - 20	to	50
In Table	utwattp	Change	project_id	from LENGTH - 20	to	50
In Table	utwatvlv	Change	manuf_id	from LENGTH - 20	to	50
In Table	utwatvlv	Change	owner_id	from LENGTH - 20	to	50
In Table	utwatvlv	Change	project_id	from LENGTH - 20	to	50
In Table	utwtisdr	Change	manuf_id	from LENGTH - 20	to	50
In Table	utwtisdr	Change	owner_id	from LENGTH - 20	to	50
In Table	utwtisdr	Change	project_id	from LENGTH - 20	to	50
In Table	utwwtdcg	Change	owner_id	from LENGTH - 20	to	50
In Table	utwwtdcg	Change	project_id	from LENGTH - 20	to	50
In Table	utwwtdsp	Change	manuf_id	from LENGTH - 20	to	50
In Table	utwwtdsp	Change	project_id	from LENGTH - 20	to	50
In Table	utwwtfit	Change	manuf_id	from LENGTH - 20	to	50
In Table	utwwtfit	Change	owner_id	from LENGTH - 20	to	50
In Table	utwwtfit	Change	project_id	from LENGTH - 20	to	50
In Table	utwwtgcb	Change	manuf_id	from LENGTH - 20	to	50
In Table	utwwtgcb	Change	owner_id	from LENGTH - 20	to	50
In Table	utwwtgcb	Change	project_id	from LENGTH - 20	to	50
In Table	utwwtgtp	Change	manuf_id	from LENGTH - 20	to	50
In Table	utwwtgtp	Change	owner_id	from LENGTH - 20	to	50
In Table	utwwtgtp	Change	project_id	from LENGTH - 20	to	50

In Table	utwwtinl	Change	manuf_id	from LENGTH - 20	to	50
In Table	utwwtinl	Change	owner_id	from LENGTH - 20	to	50
In Table	utwwtinl	Change	project_id	from LENGTH - 20	to	50
In Table	utwwtlgn	Change	manuf_id	from LENGTH - 20	to	50
In Table	utwwtlgn	Change	owner_id	from LENGTH - 20	to	50
In Table	utwwtlgn	Change	project_id	from LENGTH - 20	to	50
In Table	utwwtmh	Change	manuf_id	from LENGTH - 20	to	50
In Table	utwwtmh	Change	owner_id	from LENGTH - 20	to	50
In Table	utwwtmh	Change	project_id	from LENGTH - 20	to	50
In Table	utwwtmtr	Change	manuf_id	from LENGTH - 20	to	50
In Table	utwwtmtr	Change	owner_id	from LENGTH - 20	to	50
In Table	utwwtmtr	Change	project_id	from LENGTH - 20	to	50
In Table	utwwtneu	Change	manuf_id	from LENGTH - 20	to	50
In Table	utwwtneu	Change	owner_id	from LENGTH - 20	to	50
In Table	utwwtneu	Change	project_id	from LENGTH - 20	to	50
In Table	utwwtpip	Change	manuf_id	from LENGTH - 20	to	50
In Table	utwwtpip	Change	owner_id	from LENGTH - 20	to	50
In Table	utwwtpip	Change	project_id	from LENGTH - 20	to	50
In Table	utwwtpmp	Change	agency_id	from LENGTH - 20	to	50
In Table	utwwtpmp	Change	manuf_id	from LENGTH - 20	to	50
In Table	utwwtpmp	Change	owner_id	from LENGTH - 20	to	50
In Table	utwwtpmp	Change	project_id	from LENGTH - 20	to	50
In Table	utwwtpst	Change	owner_id	from LENGTH - 20	to	50
In Table	utwwtpst	Change	project_id	from LENGTH - 20	to	50
In Table	utwwtsep	Change	manuf_id	from LENGTH - 20	to	50
In Table	utwwtsep	Change	owner_id	from LENGTH - 20	to	50
In Table	utwwtsep	Change	project_id	from LENGTH - 20	to	50
In Table	utwwtsgb	Change	owner_id	from LENGTH - 20	to	50
In Table	utwwtsgb	Change	project_id	from LENGTH - 20	to	50
In Table	utwwtstk	Change	manuf_id	from LENGTH - 20	to	50
In Table	utwwtstk	Change	owner_id	from LENGTH - 20	to	50
In Table	utwwtstk	Change	project_id	from LENGTH - 20	to	50
In Table	utwwtnk	Change	manuf_id	from LENGTH - 20	to	50
In Table	utwwtnk	Change	owner_id	from LENGTH - 20	to	50
In Table	utwwtnk	Change	project_id	from LENGTH - 20	to	50
In Table	utwwttpt	Change	owner_id	from LENGTH - 20	to	50
In Table	utwwttpt	Change	project_id	from LENGTH - 20	to	50
In Table	utwwtvlv	Change	manuf_id	from LENGTH - 20	to	50
In Table	utwwtvlv	Change	owner_id	from LENGTH - 20	to	50
In Table	utwwtvlv	Change	project_id	from LENGTH - 20	to	50
In Table	vsaesmgt	Change	agency_id	from LENGTH - 20	to	50

New List Domain Tables:

airfield - ac maintenance type	d_afiadm	Information about aircraft maintenance available at an airport.
airfield - approach light	d_afaplt	The availability of runway approach lighting.
airfield - apron type	d_airapr	Information about the type of airfield apron.
airfield - control light	d_ctllit	An indicator of whether a pilot can activate airport lighting from an aircraft.
airfield - existence	d_afdext	The degree of confidence associated within the existence of the AIRPORT.
airfield - flight traffic rules	d_atcfr	Information about the standard set of rules governing air traffic control.
airfield - frequency use	d_afdfreq	The frequency with which the airport is used.
airfield - fueling type code	d_arfuty	The type of airport fueling
airfield - status	d_afdsta	The operational status of an airport.
airfield - taxiway	d_airtxy	The use of the taxiway.
airfield - usability	d_afdusb	The usability of the airport for the take-off and landing of aircraft.
building - space type	d_spacet	Types of building spaces.
census - age ranges	d_age	census - age ranges
census - education type	d_edutyp	census - education type
census - employment status	d_empsta	census - employment status
census - housing type	d_hostyp	census - housing type
census - income bracket	d_incbrk	census - income bracket
census - marital status	d_marsta	census - marital status
census - person type	d_pertyp	census - person type
communications - cable way type	d_cwytyp	This domain contains information about the manner of horizontal cable conveyance.
communications - pedestal type	d_coped	This domain contains information about standard communications pedestal types.
communications - splice case mat	d_spcmat	The material composition of the splice case.
communications - splice case typ	d_spccas	The type of splice case.
communications - terminal type	d_trmtyp	The type of terminal
communications -splice method	d_spcmet	The method of splicing the cables.
communicatons -terminal case typ	d_trmcas	The type of terminal case.
discriminator - amplifier type	d_amptyp	This domain delineates amplifier types

discriminator - building space	d_spacec	General category or classification of Building Space.
discriminator - cable use	d_cabuse	This domain table defines the use of the communications cable
discriminator - camera type	d_camty	A discriminator for types of outdoor surveillance cameras.
discriminator - comm antenna	d_coant	This domain table defines communications antenna types.
discriminator - nonpoint source	d_nsptyp	Discriminator for general type of area contributing to nonpoint source pollution.
discriminator - radio	d_radtyp	This domain describes the operating frequency range of a piece of equipment used to transmit and receive communications signals via electromagnetic waves.
discriminator - splice	d_spctyp	This domain is a discriminator for types of splices.
discriminator - splitter type	d_spltyp	This domain contains information about types of devices to split a signal transmission into two or more signal paths while minimizing attenuation and distortion; generally used in broadband cable systems
disposal - property type	d_rectyp	disposal - property type
disposal - type	d_disind	DISPOSAL - TYPE
encroachment - resolution	d_finres	encroachment - resolution
encroachment - type	d_tycat	encroachment - type
env - lead paint material type	d_lpttyp	The type of material on which the lead based paint is located.
fee tract - acquisition type	d_acqest	FEE TRACT - ACQUISITION TYPE
fee tract - easement type	d_easmnt	FEE TRACT - EASEMENT TYPE
manhole - size	d_mhsize	Standard Manhole Sizes
Nav Aid - Band Code	d_nvabnd	The mode position for the aeronautical-navigational-aid distance receiver.
Nav Aid - Directional Code	d_nvadir	Information indicating whether the nav aid is directional
Nav Aid - Radio Classification	d_nvarad	the effective area for an aeronautical-navigational-aid.
Nav Aid - TACAN Type	d_nvatac	The mode setting when tuning the TACTICAL AIR NAVIGATION EQUIPMENT (TACAN) System to the nav aid.
Nav Aid - Usage	d_nvause	The airspace structure in which

		the aeronautical-navigational-aid is utilized.
Nav Aid - Weather	d_nvawet	the type of weather information broadcast by the aeronautical-navigational-aid.
outgrant - purpose	d_ogtpur	outgrant - purpose
outgrant - right of way type	d_ogtrow	outgrant - right of way type
outgrant - type	d_ogttyp	outgrant - type
racial type	d_race	Racial Type
tract rp purpose	d_prpurp	tract rp purpose
type list - air pressure device	d_ap_typ	This domain list types of devices which support a cable pressurization system
type list - cable	d_cbltyp	The type of cable as defined in the AT&T Network Systems. (1994) Outside Plant Engineering Handbook. Publication 900-200-318.
type list - comm manhole	d_mhtyp	The type of manhole.
type list - core	d_cortyp	This domain contains information about cable core types.
type list - manhole cover	d_covtyp	Standard frames and cover types for manholes.
type list - manhole function	d_mhfun	The function of the manhole.
type list - mapzone	d_mapzon	The type of coordinate system used.
type list - material condition	d_mtrcnd	Physical condition of a constructed or installed material, part, or equipment.
type list - phone	d_phntyp	This domain lists types of phones.
type list - spcs zone	d_spcs	The SPCS zone as defined in SEMMS.
utility - drinking water sam loc	d_dwslyt	Type of location where a drinking water sample was collected.
utility - dw reg contaminant cat	d_dwccat	Categories of the Drinking Water contaminants regulated by the Environmental Protection Agency (EPA).
utility - primary water source	d_pwstyp	Primary source of water for a water utility.
utility - utility ownership type	d_utown	General classification of utility owner.
utility - wastewater system type	d_wwsyty	General type or category of wastewater treatment system or utility.
utility - water system type	d_wsytyp	General classification of a water utility.
utility-dw regulated contaminant	d_dwrcon	Contaminants regulated by EPA

		in National Primary Drinking Water Regulation
--	--	--

Deleted Domain Tables:

Domain Table No longer used

Deleted Domain	env - control limit code	d_contrl
Deleted Domain	env - dod site category	d_dodcat
Deleted Domain	facility - holding estimate	d_hldest
Deleted Domain	name list - owner	d_owner

Consolidated into Domain "d_pipmat"

Deleted Domain	env - piping materials of const	d_pipemo
----------------	---------------------------------	----------

Consolidated into Domain "d_strmat"

Deleted Domain	env - tank materials of construc	d_tkmoc
----------------	----------------------------------	---------

New Values in Existing Domains:

In Domain Table	d_afcls	Add Value	UNK
In Domain Table	d_afcls	Add Value	PASSENGER
In Domain Table	d_afcls	Add Value	DEFENSE
In Domain Table	d_afcls	Add Value	DECOY
In Domain Table	d_littyp	Add Value	FUEL_PIT_MARK
In Domain Table	d_wgfit	Add Value	SERVICE
In Domain Table	d_wgfit	Add Value	TAPPING_SLEEVE
In Domain Table	d_airnav	Add Value	NST_35
In Domain Table	d_airnav	Add Value	NST_34
In Domain Table	d_airnav	Add Value	NST_32
In Domain Table	d_airnav	Add Value	NST_31
In Domain Table	d_airnav	Add Value	NST_30
In Domain Table	d_airnav	Add Value	NST_37
In Domain Table	d_airnav	Add Value	NST_7
In Domain Table	d_airnav	Add Value	NST_44
In Domain Table	d_airnav	Add Value	NST_29
In Domain Table	d_airnav	Add Value	NST_4
In Domain Table	d_airnav	Add Value	NST_40
In Domain Table	d_airnav	Add Value	NST_57
In Domain Table	d_airnav	Add Value	NST_42
In Domain Table	d_airnav	Add Value	NST_58
In Domain Table	d_airnav	Add Value	NST_45
In Domain Table	d_airnav	Add Value	NST_46
In Domain Table	d_airnav	Add Value	NST_5
In Domain Table	d_airnav	Add Value	NST_41
In Domain Table	d_airnav	Add Value	NST_18
In Domain Table	d_airnav	Add Value	NST_0
In Domain Table	d_airnav	Add Value	NST_1
In Domain Table	d_airnav	Add Value	NST_10
In Domain Table	d_airnav	Add Value	NST_8
In Domain Table	d_airnav	Add Value	NST_17
In Domain Table	d_airnav	Add Value	NST_56
In Domain Table	d_airnav	Add Value	NST_19
In Domain Table	d_airnav	Add Value	NST_2
In Domain Table	d_airnav	Add Value	NST_20
In Domain Table	d_airnav	Add Value	NST_22
In Domain Table	d_airnav	Add Value	NST_23
In Domain Table	d_airnav	Add Value	NST_24
In Domain Table	d_airnav	Add Value	NST_25
In Domain Table	d_airnav	Add Value	NST_26
In Domain Table	d_airnav	Add Value	NST_27
In Domain Table	d_airnav	Add Value	NST_11
In Domain Table	d_airnav	Add Value	NST_28
In Domain Table	d_airnav	Add Value	NST_21
In Domain Table	d_reptyp	Add Value	US_SENATE

In Domain Table	d_reptyp	Add Value	US_HOUSE
In Domain Table	d_reptyp	Add Value	STATE_HOUSE
In Domain Table	d_sphtyp	Add Value	RARE
In Domain Table	d_sphtyp	Add Value	NONE
In Domain Table	d_suruse	Add Value	PARKING_AREA
In Domain Table	d_suruse	Add Value	APRON
In Domain Table	d_suruse	Add Value	FUELING_AREA
In Domain Table	d_dtwrus	Add Value	OTHER
In Domain Table	d_dtwrus	Add Value	TBD
In Domain Table	d_dvlv	Add Value	GLOBE
In Domain Table	d_dvlv	Add Value	GATE
In Domain Table	d_dvlv	Add Value	CHECK
In Domain Table	d_erscat	Add Value	BROWNFIELD
In Domain Table	d_inair	Add Value	METHY_CHLORIDE
In Domain Table	d_inair	Add Value	P_DICHLORO_BZ
In Domain Table	d_inair	Add Value	BENZO_A_PYRENE
In Domain Table	d_inair	Add Value	STYRENE
In Domain Table	d_inair	Add Value	T_CHLOROETHYLENE
In Domain Table	d_inair	Add Value	NITROGEN_OXIDES
In Domain Table	d_inair	Add Value	TRICHLOROETHANE
In Domain Table	d_inair	Add Value	FORMALDEHYDE
In Domain Table	d_inair	Add Value	AIRBORNE_MICRO
In Domain Table	d_inair	Add Value	AIRBORNE_BIOLOG
In Domain Table	d_inair	Add Value	VOLATILEORGANIC
In Domain Table	d_inair	Add Value	TOBACCO_SMOKE
In Domain Table	d_inair	Add Value	COMBUSTIONGASES
In Domain Table	d_inair	Add Value	CARBON_MONOXIDE
In Domain Table	d_inair	Add Value	ASBESTOS
In Domain Table	d_inair	Add Value	RADON
In Domain Table	d_inair	Add Value	CHLOROFORM
In Domain Table	d_hwtrai	Add Value	NONE
In Domain Table	d_pcause	Add Value	LEAKING_AST
In Domain Table	d_pcause	Add Value	INDUSTRIAL_ACT
In Domain Table	d_pcause	Add Value	IMP_DISPOSAL
In Domain Table	d_pcause	Add Value	LEAKING_PIPE
In Domain Table	d_pcause	Add Value	LEAKING_ADRUM
In Domain Table	d_pcause	Add Value	DISCHARGE_SW
In Domain Table	d_pcause	Add Value	LEAKING_UST
In Domain Table	d_pcause	Add Value	LEAKING_BDRUM
In Domain Table	d_pcause	Add Value	DISCHARGE_SOIL
In Domain Table	d_pcause	Add Value	SPILL
In Domain Table	d_pcause	Add Value	DISCHARGE_GW
In Domain Table	d_polsrc	Add Value	MUNITIONS
In Domain Table	d_polsrc	Add Value	SPILL_LAND
In Domain Table	d_polsrc	Add Value	WASTEWATER_DOM
In Domain Table	d_polsrc	Add Value	WASTEWATER_IND
In Domain Table	d_polsrc	Add Value	SPILL_WATER

In Domain Table	d_polsrc	Add Value	INDUSTRIAL_TANK
In Domain Table	d_polsrc	Add Value	ORCHARD
In Domain Table	d_polsrc	Add Value	LANDFILL
In Domain Table	d_polsrc	Add Value	BIO_CHEM_WARFARE
In Domain Table	d_polsrc	Add Value	FUEL_TANK
In Domain Table	d_polsrc	Add Value	INDUSTRIAL
In Domain Table	d_polsrc	Add Value	URBAN
In Domain Table	d_polsrc	Add Value	MINING
In Domain Table	d_polsrc	Add Value	FOREST
In Domain Table	d_polsrc	Add Value	AGRI_OTHER
In Domain Table	d_polsrc	Add Value	GRASSLAND
In Domain Table	d_polsrc	Add Value	STOCKYARD
In Domain Table	d_polsrc	Add Value	PASTURE
In Domain Table	d_polsrc	Add Value	CROPLAND
In Domain Table	d_polsrc	Add Value	RADIOACTIVE
In Domain Table	d_polsrc	Add Value	CONSTRUCTION
In Domain Table	d_polsrc	Add Value	TANK_FARM
In Domain Table	d_polsrc	Add Value	HAZWASTE_DIS
In Domain Table	d_regagy	Add Value	STATE_DEP_HEALTH
In Domain Table	d_regagy	Add Value	STATE_DEQ
In Domain Table	d_regagy	Add Value	STATE_PUBSERVICE
In Domain Table	d_pipmat	Add Value	ZIRCONIUM
In Domain Table	d_pipmat	Add Value	PPE_STEEL
In Domain Table	d_pipmat	Add Value	PTFE
In Domain Table	d_pipmat	Add Value	RUB_STEEL
In Domain Table	d_pipmat	Add Value	SARAN_LINED
In Domain Table	d_pipmat	Add Value	STAINLESS_STEEL
In Domain Table	d_pipmat	Add Value	TITANIUM
In Domain Table	d_pipmat	Add Value	MONEL
In Domain Table	d_pipmat	Add Value	FEPT_STEEL
In Domain Table	d_pipmat	Add Value	HASTELLOYS
In Domain Table	d_pipmat	Add Value	TAN_STEEL
In Domain Table	d_pipmat	Add Value	NICKEL
In Domain Table	d_pipmat	Add Value	KYN_STEEL
In Domain Table	d_pipmat	Add Value	INCONEL
In Domain Table	d_pipmat	Add Value	HDPE
In Domain Table	d_pipmat	Add Value	GLASS_LINED
In Domain Table	d_pipmat	Add Value	FRV
In Domain Table	d_pipmat	Add Value	FRP
In Domain Table	d_pipmat	Add Value	ARMORED_GLASS
In Domain Table	d_pipmat	Add Value	CIS
In Domain Table	d_pipmat	Add Value	COMPOSOLITE
In Domain Table	d_pipmat	Add Value	PFA
In Domain Table	d_poltyp	Add Value	DISCHARGE_WATER
In Domain Table	d_poltyp	Add Value	SPILL_LAND
In Domain Table	d_poltyp	Add Value	SPILL_WATER
In Domain Table	d_poltyp	Add Value	DISCHARGE_GWATER

In Domain Table	d_poltyp	Add Value	DISCHARGE_LAND
In Domain Table	d_strmat	Add Value	COMPO
In Domain Table	d_strmat	Add Value	CIS
In Domain Table	d_strmat	Add Value	PRECAST
In Domain Table	d_afctyp	Add Value	RADAR_REFLECTOR
In Domain Table	d_cabins	Add Value	AER
In Domain Table	d_cabins	Add Value	BORE
In Domain Table	d_cabins	Add Value	BURY
In Domain Table	d_cabins	Add Value	DB
In Domain Table	d_cabins	Add Value	JSC
In Domain Table	d_cabins	Add Value	TR
In Domain Table	d_genty	Add Value	PRIMARY
In Domain Table	d_genty	Add Value	BACKUP
In Domain Table	d_genty	Add Value	EMERGENCY
In Domain Table	d_habtyp	Add Value	MEADOW
In Domain Table	d_habtyp	Add Value	WETLANDS
In Domain Table	d_habtyp	Add Value	UNDEVELOPED_LAND
In Domain Table	d_habtyp	Add Value	URBAN_LAND
In Domain Table	d_habtyp	Add Value	UPLAND
In Domain Table	d_habtyp	Add Value	SWAMP
In Domain Table	d_habtyp	Add Value	STREAM
In Domain Table	d_habtyp	Add Value	SHORE_ZONE
In Domain Table	d_habtyp	Add Value	SHOAL
In Domain Table	d_habtyp	Add Value	SAVANNA
In Domain Table	d_habtyp	Add Value	RIPARIAN
In Domain Table	d_habtyp	Add Value	CAVE
In Domain Table	d_habtyp	Add Value	NEARSHORE
In Domain Table	d_habtyp	Add Value	LOWLAND
In Domain Table	d_habtyp	Add Value	LAKE
In Domain Table	d_habtyp	Add Value	FOREST
In Domain Table	d_habtyp	Add Value	DESERT
In Domain Table	d_habtyp	Add Value	CULTIVATED_FIELD
In Domain Table	d_habtyp	Add Value	CLIFF
In Domain Table	d_habtyp	Add Value	CLEARING
In Domain Table	d_habtyp	Add Value	PRAIRE
In Domain Table	d_habtyp	Add Value	OCEAN
In Domain Table	d_tyshet	Add Value	LJ
In Domain Table	d_tyshet	Add Value	MP
In Domain Table	d_tyshet	Add Value	PAP
In Domain Table	d_tyshet	Add Value	RPS
In Domain Table	d_tyshet	Add Value	SA
In Domain Table	d_tyshet	Add Value	SJ
In Domain Table	d_tyshet	Add Value	LA
In Domain Table	d_tyshet	Add Value	SUBDJ
In Domain Table	d_tyshet	Add Value	MG
In Domain Table	d_tyshet	Add Value	UM
In Domain Table	d_tyshet	Add Value	SUBDA

In Domain Table	d_tyshet	Add Value	ARP
In Domain Table	d_tyshet	Add Value	NONE
In Domain Table	d_tyshet	Add Value	KPSP
In Domain Table	d_tyshet	Add Value	ALPETH
In Domain Table	d_tyshet	Add Value	AT
In Domain Table	d_tyshet	Add Value	BT
In Domain Table	d_tyshet	Add Value	CP
In Domain Table	d_tyshet	Add Value	CPNM
In Domain Table	d_tyshet	Add Value	DA
In Domain Table	d_tyshet	Add Value	DJ
In Domain Table	d_tyshet	Add Value	GT
In Domain Table	d_tyshet	Add Value	JP
In Domain Table	d_tyshet	Add Value	KP
In Domain Table	d_uom	Add Value	MILLION_GALLONS
In Domain Table	d_vpidia	Add Value	15
In Domain Table	d_vpidia	Add Value	22
In Domain Table	d_vpidia	Add Value	48
In Domain Table	d_vpidia	Add Value	42
In Domain Table	d_vpidia	Add Value	36
In Domain Table	d_vpidia	Add Value	32
In Domain Table	d_vpidia	Add Value	28
In Domain Table	d_vpidia	Add Value	60
In Domain Table	d_vpidia	Add Value	16
In Domain Table	d_vpidia	Add Value	5
In Domain Table	d_vpidia	Add Value	14
In Domain Table	d_vpidia	Add Value	21
In Domain Table	d_vpidia	Add Value	18
In Domain Table	d_vpidia	Add Value	24
In Domain Table	d_vpidia	Add Value	72
In Domain Table	d_vpidia	Add Value	30

Domain Value Changes:

In Domain Table	d_airnav	Delete	FAN_MARKERS
In Domain Table	d_airnav	Delete	ILS_GLIDE_SLOPE
In Domain Table	d_dvlv	Delete	ARV
In Domain Table	d_vpidia	Delete	0_25
In Domain Table	d_miltng	Change	AQUAD_ATTACK to SQUAD_ATTACK